

Printing date 07/20/2021 Reviewed on 07/20/2021

### 1 Identification

· Product name

· Trade name: Zirconium foil (99.5%)

• *Item number:* 93-4046

• CAS Number: 7440-67-7 • EC number: 231-176-9 • Index number:

040-001-00-3

· Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

Strem Chemicals, Inc.

7 Mulliken Way

NEWBURYPORT, MA 01950

USA

info@strem.com

· Information department: Technical Department

· Emergency telephone number:

EMERGENCY: CHEMTREC: + 1 (800) 424-9300 During normal opening times: +1 (978) 499-1600

#### 2 Hazard(s) identification

· Classification of the substance or mixture



GHS02 Flame

Flam. Sol. 2 H228 Flammable solid.

- · Label elements
- · GHS label elements

The substance is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



GHS02

- · Signal word Warning
- · Hazard statements

H228 Flammable solid.

· Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

*P280* Wear protective gloves / eye protection / face protection.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ventilating/lighting/equipment. P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 2)

u. on page 2)

(Contd. of page 1)



# Safety Data Sheet according to OSHA HCS

Printing date 07/20/2021 Reviewed on 07/20/2021

Trade name: Zirconium foil (99.5%)

· Classification system:

· NFPA ratings (scale 0 - 4)



Health = 0Fire = 0Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Fire = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable. · vPvB: Not applicable.

### 3 Composition/information on ingredients

- · Chemical characterization: Substances
- · CAS No. Description

7440-67-7 zirconium powder (pyrophoric)

- · Identification number(s)
- · EC number: 231-176-9
- · Index number: 040-001-00-3

### 4 First-aid measures

- · Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

### 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

#### 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.

(Contd. on page 3)



Printing date 07/20/2021 Reviewed on 07/20/2021

Trade name: Zirconium foil (99.5%)

(Contd. of page 2)

- · Environmental precautions: No special measures required.
- · Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

· PAC-1:	
	10 mg/m3
· PAC-2:	
	83 mg/m3
· PAC-3:	
	500 mg/m3

#### 7 Handling and storage

- · Handling:
- · Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- $\cdot$  *Specific end use*(s) *No further relevant information available.*

#### 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

#### 7440-67-7 zirconium powder (pyrophoric)

PEL Long-term value: 5 mg/m³
as Zr

REL Short-term value: 10 mg/m³
Long-term value: 5 mg/m³
as Zr

TLV Short-term value: 10 mg/m³
Long-term value: 5 mg/m³

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures: Wash hands before breaks and at the end of work.

(Contd. on page 4)



Printing date 07/20/2021 Reviewed on 07/20/2021

Trade name: Zirconium foil (99.5%)

· Breathing equipment: Not required.

(Contd. of page 3)

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Safety glasses

	ties	
· Information on basic physical and	chemical properties	
· General Information		
· Appearance:	T- 11	
Form:	Foil	
Color:	Silver grey	
· Odor: · Odor threshold:	Odorless	
· Oaor inresnoia:	Not determined.	
· pH-value:	Not applicable.	
· Change in condition		
Melting point/Melting range:	1.852 °C (35 °F)	
Boiling point/Boiling range:	3.577 °C (38 °F)	
· Flash point:	Not applicable.	
· Flammability (solid, gaseous):	Flammable.	
· Ignition temperature:	80 °C (176 °F)	
· Decomposition temperature:	Not determined.	
· Auto igniting:	Not determined.	
· Danger of explosion:	Not determined.	
· Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapor pressure:	Not applicable.	
Density at 20 °C (68 °F):	6.506 g/cm³ (54.29257 lbs/gal)	
· Relative density	Not determined.	
· Vapor density	Not applicable.	
· Evaporation rate	Not applicable.	

(Contd. on page 5)



Printing date 07/20/2021 Reviewed on 07/20/2021

Trade name: Zirconium foil (99.5%)

		(Contd. of page
· Solubility in / Miscibility with		
Water:	Insoluble.	
· Partition coefficient (n-octano	l/water): Not determined.	
· Viscosity:		
Dynamic:	Not applicable.	
Kinematic:	Not applicable.	
· Solvent content:		
Organic solvents:	0.0 %	
VOC content:	0.0~g/l  /  0.00~lb/gl	
Solids content:	100.0 %	
· Other information	No further relevant information available.	

### 10 Stability and reactivity

- $\cdot \textit{Reactivity No further relevant information available}.$
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- $\cdot \textit{\textit{Possibility of hazardous reactions}} \ \textit{No dangerous reactions known}.$
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

### 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

Substance is not listed.

· NTP (National Toxicology Program)

Substance is not listed.

· OSHA-Ca (Occupational Safety & Health Administration)

Substance is not listed.

### 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.

(Contd. on page 6)

(Contd. of page 5)



# Safety Data Sheet according to OSHA HCS

Reviewed on 07/20/2021 Printing date 07/20/2021

Trade name: Zirconium foil (99.5%)

· Mobility in soil No further relevant information available.

· Additional ecological information:

· General notes: Not known to be hazardous to water.

· Results of PBT and vPvB assessment

· **PBT**: Not applicable.

· vPvB: Not applicable.

· Other adverse effects No further relevant information available.

### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

14 Transport information

· Recommendation: Disposal must be made according to official regulations.

I V	
· UN-Number	
· DOT, IMDG, IATA	UN2858
· UN proper shipping name	
$\cdot DOT$	Zirconium, dry
· IMDG, IATA	ZIRCONIUM, DRY

- · Transport hazard class(es)
- $\cdot DOT$



· Class	4.1 Flammable solids, self-reactive substances and solid
	desensitised explosives
· Label	4.1

· IMDG



· Class 4.1 Flammable solids, self-reactive substances and solid desensitised explosives 4.1

· Label

 $\cdot$  IATA



· Class

(Contd. on page 7)



Printing date 07/20/2021 Reviewed on 07/20/2021

Trade name: Zirconium foil (99.5%)

	(Contd. of page
Label	4.1
Packing group DOT, IMDG, IATA	III
· Environmental hazards: · Marine pollutant:	No
· Special precautions for user · Danger code (Kemler): · EMS Number: · Stowage Category · Handling Code	Not applicable. 40 F-G,S-G A H1 Keep as dry as reasonably practicable
· Segregation Code	SG25 Stow "separated from" goods of classes 2.1 and 3. SG26 In addition: from goods of classes 2.1 and 3 when stowed of deck of a containership a minimum distance of two container spacathwartship shall be maintained, when stowed on ro-ro ships distance of 6 m athwartship shall be maintained.
· Transport in bulk according to Annex . MARPOL73/78 and the IBC Code	<b>II of</b> Not applicable.
· Transport/Additional information:	
· DOT	
· Quantity limitations	On passenger aircraft/rail: 15 kg On cargo aircraft only: 50 kg
· IMDG	
· Limited quantities (LQ)	5 kg
· Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g
· UN ''Model Regulation'':	UN 2858 ZIRCONIUM, DRY, 4.1, III

### 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara
- · Section 355 (extremely hazardous substances):

Substance is not listed.

· Section 313 (Specific toxic chemical listings):

Substance is not listed.

· TSCA (Toxic Substances Control Act):

Substance is listed.

- · Proposition 65
- · Chemicals known to cause cancer:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for females:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for males:

Substance is not listed.

(Contd. on page 8)



Printing date 07/20/2021 Reviewed on 07/20/2021

Trade name: Zirconium foil (99.5%)

(Contd. of page 7)

· Chemicals known to cause developmental toxicity:

Substance is not listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

Substance is not listed.

· TLV (Threshold Limit Value established by ACGIH)

*A4* 

· NIOSH-Ca (National Institute for Occupational Safety and Health)

Substance is not listed.

· GHS label elements

The substance is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



GHS02

- · Signal word Warning
- · Hazard statements

H228 Flammable solid.

· Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

*P280* Wear protective gloves / eye protection / face protection.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ventilating/lighting/equipment. P403+P233 Store in a well-ventilated place. Keep container tightly closed.

*P501* Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Technical Department.
- · Contact: Technical Director
- · Date of preparation / last revision 07/20/2021 / -
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

(Contd. on page 9)



Printing date 07/20/2021 Reviewed on 07/20/2021

Trade name: Zirconium foil (99.5%)

(Contd. of page 8)

PEL: Permissible Exposure Limit REL: Recommended Exposure Limit

Flam. Sol. 2: Flammable solids – Category 2

LIC