Printing date 07/20/2021

Reviewed on 07/20/2021

1 Identification

- · Product name
- · Trade name: Molybdenum powder (99.9%)
- Item number: 93-4257
- · CAS Number:
- 7439-98-7 • **EC number:**
- 231-107-2
- Details of the supplier of the safety data sheet
 Manufacturer/Supplier: Strem Chemicals, Inc.
 7 Mulliken Way NEWBURYPORT, MA 01950
- USA info@strem.com
- · Information department: Technical Department
- Emergency telephone number: EMERGENCY: CHEMTREC: + 1 (800) 424-9300 During normal opening times: +1 (978) 499-1600

2 Hazard(s) identification

• Classification of the substance or mixture GHS02 Flame

Flam. Sol. 1 H228 Flammable solid.



GHS08 Health hazard

Muta. 2 H341 Suspected of causing genetic defects.

Repr. 2 H361 Suspected of damaging fertility or the unborn child.

- · Label elements
- · GHS label elements
- *The substance is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms*



· Signal word Danger

- Hazard-determining components of labeling: molybdenum
- Hazard statements
 H228 Flammable solid.
 H341 Suspected of causing genetic defects.
 H361 Suspected of damaging fertility or the unborn child.

(Contd. on page 2)

Printing date 07/20/2021

CHEMICALS, INC

Reviewed on 07/20/2021

Trade name: Molybdenum powder (99.9%)

	(Contd. of page 1)
• Precautio	nary statements
P210	Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical/ventilating/lighting/equipment.
P403+P2	33 Store in a well-ventilated place. Keep container tightly closed.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
	tion system:
•	tings (scale 0 - 4)
200	Health = 2 $Fire = 0$ $Reactivity = 0$
· HMIS-rai	tings (scale 0 - 4)
HEALTH FIRE REACTIVIT	Health = $*2$ Fire = 0 Reactivity = 0
· PBT: Not	g <mark>ards</mark> f PBT and vPvB assessment f applicable. t applicable.

3 Composition/information on ingredients

- · Chemical characterization: Substances
- · CAS No. Description
- 7439-98-7 molybdenum
- · Identification number(s)
- EC number: 231-107-2

4 First-aid measures

- · Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- \cdot Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.

(Contd. on page 3)

US

Printing date 07/20/2021

Reviewed on 07/20/2021

Trade name: Molybdenum powder (99.9%)

- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- *Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.*
- · Environmental precautions: No special measures required.
- *Methods and material for containment and cleaning up: Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.*
- · Reference to other sections
- See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.
- · Protective Action Criteria for Chemicals

• PAC-1:

30 mg/m3

330 mg/m3

· PAC-2:

· PAC-3:

2,000 mg/m3

7 Handling and storage

· Handling:

- · Precautions for safe handling Open and handle receptacle with care.
- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.
- · Control parameters

· Components with limit values that require monitoring at the workplace:

7439-98-7 molybdenum

PEL Long-term value: 15* mg/m³

*Total dust

(Contd. on page 4)



(Contd. of page 2)

US

Printing date 07/20/2021

Reviewed on 07/20/2021

Trade name: Molybdenum powder (99.9%)

(Contd. of page 3)
TLV Long-term value: 10* 3** mg/m ³
as Mo; *inhalable fraction ** respirable fraction
• Additional information: The lists that were valid during the creation were used as basis.
· Exposure controls
· Personal protective equipment:
· General protective and hygienic measures:
Keep away from foodstuffs, beverages and feed.
Wash hands before breaks and at the end of work.
Store protective clothing separately.
· Breathing equipment: Not required.
· Protection of hands:
Protective gloves
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection: Safety glasses

9 Physical and chemical properties

· Information on basic physical and	chemical properties	
· General Information		
· Appearance:		
Form:	Powder	
Color:	Grey	
· Odor:	Odorless	
· Odor threshold:	Not determined.	
· pH-value:	Not applicable.	
· Change in condition		
Melting point/Melting range:	2.610 °C (37 °F)	
Boiling point/Boiling range:	5.560 °C (42 °F)	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Flammable.	
Ignition temperature:		
Decomposition temperature:	Not determined.	
Auto igniting:	Not determined.	
Danger of explosion:	Not determined.	
		(Contd. on page 5



Printing date 07/20/2021

Reviewed on 07/20/2021

Trade name: Molybdenum powder (99.9%)

		(Contd. of page
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapor pressure:	Not applicable.	
Density at 20 °C (68 °F):	10.2 g/cm ³ (85.119 lbs/gal)	
Relative density	Not determined.	
Vapor density	Not applicable.	
Evaporation rate	Not applicable.	
Solubility in / Miscibility with		
Water:	Insoluble.	
Partition coefficient (n-octanol/	water): Not determined.	
Viscosity:		
Dynamic:	Not applicable.	
Kinematic:	Not applicable.	
Solvent content:		
Organic solvents:	0.0 %	
VOC content:	0.0 g/l / 0.00 lb/gl	
Solids content:	100.0 %	
Other information	No further relevant information available.	

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: No irritating effect.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

Substance is not listed.

· NTP (National Toxicology Program)

Substance is not listed.

(Contd. on page 6)



US

Printing date 07/20/2021

Reviewed on 07/20/2021

Trade name: Molybdenum powder (99.9%)

(Contd. of page 5)

· OSHA-Ca (Occupational Safety & Health Administration)

Substance is not listed.

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- *Persistence and degradability No further relevant information available.*
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- \cdot **Mobility in soil** No further relevant information available.
- · Additional ecological information:
- · General notes: Not known to be hazardous to water.
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

- *Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.*
- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.

· UN-Number		
· DOT, IMDG, IATA	UN3089	
· UN proper shipping name		
· DOT	Metal powders, flammable, n.o.s.	
· IMDG, IATA	METAL POWDER, FLAMMABLE, N.O.S.	
· Transport hazard class(es)		
·DOT		
· Class	4	



Printing date 07/20/2021

Ш

CHEMICALS, INC.

Reviewed on 07/20/2021

	(Contd. of page 6
100	(10 ⁻
· IMDG	
· Class	4.1 Flammable solids, self-reactive substances and solid desensitised explosives
· Label	4.1
· Class · Label	4 4.1
· Packing group · DOT, IMDG, IATA	II
· Environmental hazards: · Marine pollutant:	No
 Special precautions for user Segregation groups Stowage Category Handling Code Segregation Code 	Not applicable. Heavy metals and their salts (including their organometallic compounds), powdered metals B H1 Keep as dry as reasonably practicable SG17 Stow "separated from" class 5.1 SG25 Stow "separated from" goods of classes 2.1 and 3. SG26 In addition: from goods of classes 2.1 and 3 when stowed or deck of a containership a minimum distance of two container spaces athwartship shall be maintained, when stowed on ro-ro ships a distance of 6 m athwartship shall be maintained.
• Transport in bulk according to Annex MARPOL73/78 and the IBC Code	II of Not applicable.
· Transport/Additional information:	
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	l kg Code: E2 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 500 g
· UN ''Model Regulation'':	UN 3089 METAL POWDERS, FLAMMABLE, N.O.S., 4.1, II

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

• Section 355 (extremely hazardous substances):

Substance is not listed.

(Contd. on page 8)

US

Printing date 07/20/2021

Reviewed on 07/20/2021

Trade name: Molybdenum powder (99.9%)

(Contd. of page 7)

· Section 313 (Specific toxic chemical listings):
Substance is not listed.

• TSCA (Toxic Substances Control Act):

Substance is listed.

· Proposition 65

· Chemicals known to cause cancer:

Substance is not listed.

 \cdot Chemicals known to cause reproductive toxicity for females:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for males:

Substance is not listed.

· Chemicals known to cause developmental toxicity:

Substance is not listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

Substance is not listed.

· TLV (Threshold Limit Value established by ACGIH)

A3

· NIOSH-Ca (National Institute for Occupational Safety and Health)

Substance is not listed.

· GHS label elements

The substance is classified and labeled according to the Globally Harmonized System (GHS).

• Hazard pictograms



· Signal word Danger

· Hazard-determining components of labeling:

molybdenum

· Hazard statements

H228 Flammable solid.

H341 Suspected of causing genetic defects.

H361 Suspected of damaging fertility or the unborn child.

· Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ventilating/lighting/equipment.

- P403+P233 Store in a well-ventilated place. Keep container tightly closed.
- *P501* Dispose of contents/container in accordance with local/regional/national/international regulations.

• Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

(Contd. on page 9)

Printing date 07/20/2021

CHEMICALS, INC

Reviewed on 07/20/2021

Trade name: Molybdenum powder (99.9%)

(Contd. of page 8)

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Technical Department.
- · Contact: Technical Director
- · Date of preparation / last revision 07/20/2021 / -
- · Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Flam. Sol. 1: Flammable solids – Category 1 Muta. 2: Germ cell mutagenicity – Category 2 Repr. 2: Reproductive toxicity - Category 2