Printing date 07/21/2021

Reviewed on 07/15/2021

1 Identification

- · Product name
- · Trade name: Barium hydroxide octahydrate, 98+% (ACS)
- Item number: 93-5617
- CAS Number: 12230-71-6
- *EC number*:
- 241-234-5
- Index number: 056-002-00-7
- \cdot Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Strem Chemicals, Inc.
 7 Mulliken Way
 NEWBURYPORT, MA 01950
 USA
 info@strem.com
- · Information department: Technical Department
- *Emergency telephone number: EMERGENCY: CHEMTREC:* + 1 (800) 424-9300 *During normal opening times:* +1 (978) 499-1600

2 Hazard(s) identification

· Classification of the substance or mixture

GHS05 Corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.


GHS07

Acute Tox. 4H302Harmful if swallowed.Acute Tox. 4H332Harmful if inhaled.

· Label elements

· GHS label elements

The substance is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*





· Signal word Danger

- · Hazard-determining components of labeling:
- barium dihydroxide octahydrate
- Hazard statements


H302+H332 Harmful if swallowed or if inhaled. H314 Causes severe skin burns and eye damage.

(Contd. on page 2)

US

Printing date 07/21/2021

Reviewed on 07/15/2021



· General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

• After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

- In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing:
- *Immediately call a doctor.*

Drink copious amounts of water and provide fresh air. Immediately call a doctor.

(Contd. on page 3)

[•] US

Printing date 07/21/2021

Reviewed on 07/15/2021

(Contd. of page 2)

Trade name: Barium hydroxide octahydrate, 98+% (ACS)

- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- · Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

 Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.
 Wear protective equipment. Keep unprotected persons away.
 Environmental precautions: Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system.
 Methods and material for containment and cleaning up:

- Use neutralizing agent. Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
- Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.
- · Protective Action Criteria for Chemicals

· PAC-1:	
	3.4 mg/m3
· PAC-2:	
	420 mg/m3
· PAC-3:	
	2,500 mg/m3

7 Handling and storage

· Handling:

· Precautions for safe handling

Thorough dedusting.

Ensure good ventilation/exhaustion at the workplace.

· Information about protection against explosions and fires: Keep respiratory protective device available.

· Conditions for safe storage, including any incompatibilities

· Storage:

- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.

(Contd. on page 4)

⁻ US

Printing date 07/21/2021

Reviewed on 07/15/2021

Trade name: Barium hydroxide octahydrate, 98+% (ACS)

- Further information about storage conditions: Keep receptacle tightly sealed.
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

12230-71-6 barium dihydroxide octahydrate

- PEL Long-term value: 0.5 mg/m³ as Ba
 REL Long-term value: 0.5 mg/m³ as Ba
- TLV Long-term value: 0.5 mg/m³ as Ba

• Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- · Personal protective equipment: Wear protective clothing
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.
- Breathing equipment: A NIOSH approved respirator in accordance with 29 CFR 1910.134.
- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

(Contd. of page 3)



Printing date 07/21/2021

CHEMICALS, INC.

Reviewed on 07/15/2021

Trade name: Barium hydroxide octahydrate, 98+% (ACS)

(Contd. of page 4)

Physical and chemical proper	lles	
Information on basic physical and	chemical properties	
General Information		
Appearance: Form:	Cructalling	
Form: Color:	Crystalline White	
Odor:	Odorless	
Odor threshold:	Not determined.	
pH-value:	Not applicable.	
-		
Change in condition	$78 \circ C (172 \circ E)$	
Melting point/Melting range: Boiling point/Boiling range:	78 °C (172 °F) Undetermined.	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not determined.	
Ignition temperature:		
Decomposition temperature:	Not determined.	
Auto igniting:	Not determined.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure:	Not applicable.	
Density at 20 °C (68 °F):	2.18 g/cm ³ (18.1921 lbs/gal)	
Bulk density at 20 °C (68 °F):	1.000 kg/m ³	
Relative density	Not determined.	
Vapor density	Not applicable.	
Evaporation rate	Not applicable.	
Solubility in / Miscibility with		
<i>Water at 15 •C (59 •F):</i>	56 g/l	
Partition coefficient (n-octanol/wat	ter): Not determined.	
Viscosity:		
Dynamic:	Not applicable.	
Kinematic:	Not applicable.	
Solvent content:		
Organic solvents:	0.0 %	
VOC content:	0.0 g/l / 0.00 lb/gl	
Solids content:	100.0 %	
Other information	No further relevant information available.	

10 Stability and reactivity

· Reactivity No further relevant information available.

(Contd. on page 6)

US

Printing date 07/21/2021

Reviewed on 07/15/2021

(Contd. of page 5)

Trade name: Barium hydroxide octahydrate, 98+% (ACS)

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- Primary irritant effect:
- on the skin: Caustic effect on skin and mucous membranes.
- on the eye: Strong caustic effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

Substance is not listed.

· NTP (National Toxicology Program)

Substance is not listed.

· OSHA-Ca (Occupational Safety & Health Administration)

Substance is not listed.

12 Ecological information

· Toxicity

- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Must not reach bodies of water or drainage ditch undiluted or unneutralized.
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

• Waste treatment methods • Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 7)

Printing date 07/21/2021

Reviewed on 07/15/2021

(Contd. of page 6)

Trade name: Barium hydroxide octahydrate, 98+% (ACS)

· Uncleaned packagings:

• *Recommendation: Disposal must be made according to official regulations.*

X 121 21 1	
UN-Number DOT, IMDG, IATA	UN2923
UN proper shipping name DOT IMDG, IATA	Corrosive solids, toxic, n.o.s. CORROSIVE SOLID, TOXIC, N.O.S.
Transport hazard class(es)	
DOT	
Class Label	8 Corrosive substances 8, 6.1
IMDG	
Class	8 Corrosive substances
Label	8/6.1
IATA	8 Corrosive substances 8 (6.1)
Packing group DOT, IMDG, IATA	II
Environmental hazards: Marine pollutant:	No
Special precautions for user EMS Number: Stowage Category Stowage Code	Warning: Corrosive substances F-A,S-B B SW2 Clear of living quarters.
Transport in bulk according to Annex MARPOL73/78 and the IBC Code	



Printing date 07/21/2021

Reviewed on 07/15/2021

Trade name: Barium hydroxide octahydrate, 98+% (ACS)

(Contd. of page 7)

 Transport/Additional in 	nformation:
---	-------------

 $\cdot DOT$

CHEMICALS.

• Quantity limitations

On passenger aircraft/rail: 15 kg On cargo aircraft only: 50 kg

· UN "Model Regulation":

UN 2923 CORROSIVE SOLIDS, TOXIC, N.O.S., 8 (6.1), II

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

· Section 355 (extremely hazardous substances):

Substance is not listed.

· Section 313 (Specific toxic chemical listings):

Substance is listed.

· TSCA (Toxic Substances Control Act):

Substance is not listed.

· Proposition 65

 \cdot Chemicals known to cause cancer:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for females:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for males:

Substance is not listed.

· Chemicals known to cause developmental toxicity:

Substance is not listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

D, CBD(inh), NL(oral)

· TLV (Threshold Limit Value established by ACGIH)

A4

· NIOSH-Ca (National Institute for Occupational Safety and Health)

Substance is not listed.

· GHS label elements

The substance is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



· Signal word Danger

• *Hazard-determining components of labeling:* barium dihydroxide octahydrate

(Contd. on page 9)

US

Printing date 07/21/2021

CHEMICALS INC

Reviewed on 07/15/2021

Trade name: Barium hydroxide octahydrate, 98+% (ACS)

	(Contd. of page 8)
Hazard statemen	ts
H302+H332 Har	mful if swallowed or if inhaled.
H314 Cau	ses severe skin burns and eye damage.
Precautionary sta	itements
P260	Do not breathe dust/fume/gas/mist/vapors/spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P303+P361+P35	3 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.
P305+P351+P33	88 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
Chemical safety of	assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Technical Department.
- · Contact: Technical Director
- · Date of preparation / last revision 07/21/2021 / -

· Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Acute Tox. 4: Acute toxicity – Category 4 Skin Corr. 1B: Skin corrosion/irritation - Category 1B