Printing date 21.07.2021

CHEMICALS, INC.

Revision: 21.07.2021

SECTION 1: Identification of the substance/mixture and of the comp	pany/undertaking
· 1.1 Product identifier	
• Trade name: <u>Barium nitrate (99.95%-Ba)</u>	
<ul> <li>Item number: 93-5624</li> <li>CAS Number: 10022-31-8</li> <li>EC number: 233-020-5</li> <li>Index number: 056-002-00-7</li> <li>I.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.</li> </ul>	
<ul> <li>1.3 Details of the supplier of the safety data sheet</li> <li>Manufacturer/Supplier: Strem Chemicals, Inc.</li> <li>7 Mulliken Way</li> <li>NEWBURYPORT, MA 01950</li> <li>USA info@strem.com</li> </ul>	
<ul> <li>Further information obtainable from: Technical Department</li> <li>1.4 Emergency telephone number: EMERGENCY: CHEMTREC: + 1 (800) 424-9300 During normal opening times: +1 (978) 499-1600</li> </ul>	
SECTION 2: Hazards identification	
<ul> <li>2.1 Classification of the substance or mixture</li> <li>Classification according to Regulation (EC) No 1272/2008</li> </ul>	
GHS03 flame over circle	
Ox. Sol. 2 H272 May intensify fire; oxidiser.	
GHS08 health hazard	
Carc. 1A H350 May cause cancer.	
GHS07	
Acute Tox. 4 H302 Harmful if swallowed.	
Acute Tox. 4 H332 Harmful if inhaled. Eye Irrit. 2 H319 Causes serious eye irritation.	
<ul> <li>• 2.2 Label elements</li> <li>• Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP regulation.</li> </ul>	(Contd. on page 2)
	(contai on page 2) GB -

Printing date 21.07.2021

CHEMICALS, INC

Revision: 21.07.2021

	(Contd. of page
Hazard pictogra	ams
GHS03 GHS	507 GHS08
Signal word Da	nger
Hazard-determi	ning components of labelling:
barium nitrate	
Hazard stateme	nts
Н272 Ма	ay intensify fire; oxidiser.
H302+H332 Ha	ırmful if swallowed or if inhaled.
H319 Ca	uses serious eye irritation.
Н350 Ма	ay cause cancer.
Precautionary s	
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read label before use.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. N smoking.
P221	Take any precaution to avoid mixing with combustibles.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P305+P351+P3	338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, present and easy to do. Continue rinsing.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
2.3 Other hazar	
-	and vPvB assessment

#### **SECTION 3: Composition/information on ingredients**

- · 3.1 Chemical characterisation: Substances
- · CAS No. Description
- 10022-31-8 barium nitrate
- Identification number(s) • EC number: 233-020-5
- Index number: 056-002-00-7

#### **SECTION 4: First aid measures**

- · 4.1 Description of first aid measures
- General information:
- Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.
- After inhalation:
- Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation.

(Contd. on page 3)

GB

Printing date 21.07.2021

Revision: 21.07.2021

(Contd. of page 2)

Trade name: Barium nitrate (99.95%-Ba)

- · After skin contact: Immediately rinse with water.
- · After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- · After swallowing: Call for a doctor immediately. • 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

#### **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

#### **SECTION 6: Accidental release measures**

- 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- · 6.2 Environmental precautions: No special measures required.
- · 6.3 Methods and material for containment and cleaning up: Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
- · 6.4 Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

#### **SECTION 7: Handling and storage**

- · 7.1 Precautions for safe handling
- Thorough dedusting.
- Ensure good ventilation/exhaustion at the workplace.
- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:
- Keep container tightly sealed.
- Store in cool, dry conditions in well sealed receptacles.
- · 7.3 Specific end use(s) No further relevant information available.

#### **SECTION 8: Exposure controls/personal protection**

· Additional information about design of technical facilities: No further data; see item 7.

(Contd. on page 4)



Printing date 21.07.2021

Revision: 21.07.2021

Trade name: Barium nitrate (99.95%-Ba)

(Contd. of page 3)

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

10022-31-8 barium nitrate

WEL Long-term value: 0.5 mg/m<sup>3</sup> as Ba

· Additional information: The lists valid during the making were used as basis.

- · 8.2 Exposure controls
- · Personal protective equipment:
- $\cdot$  General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing
- Wash hands before breaks and at the end of work.
- Store protective clothing separately.
- Avoid contact with the eyes.
- Avoid contact with the eyes and skin.
- · Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation  $\cdot$  *Material of gloves* 

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

General Information Appearance:		
Form:	Crystalline	
Colour:	White	
Odour:	Odourless	
Odour threshold:	Not determined.	
pH-value:	Not applicable.	
Change in condition		
Melting point/freezing point:	592 °C	
Initial boiling point and boiling ra	nge: Undetermined.	

r pu<u>5</u>e 5)

Printing date 21.07.2021

Trade name: Barium nitrate (99.95%-Ba)

Revision: 21.07.2021

	(Contd. of pa
Flash point:	Not applicable.
Flammability (solid, gas):	Not determined.
Ignition temperature:	
Decomposition temperature:	Not determined.
Auto-ignition temperature:	Not determined.
Explosive properties:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapour pressure:	Not applicable.
Density at 20 °C:	3.23 g/cm <sup>3</sup>
Bulk density at 20 °C:	1.750 kg/m <sup>3</sup>
Relative density	Not determined.
Vapour density	Not applicable.
Evaporation rate	Not applicable.
Solubility in / Miscibility with	
water at 20 °C:	90.6 g/l
Partition coefficient: n-octanol/water:	Not determined.
Viscosity:	
Dynamic:	Not applicable.
Kinematic:	Not applicable.
Solvent content:	
Organic solvents:	0.0 %
VÕC (EC)	0.00 %
Solids content:	100.0 %
9.2 Other information	No further relevant information available.

#### **SECTION 10: Stability and reactivity**

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

#### **SECTION 11: Toxicological information**

- · 11.1 Information on toxicological effects
- · Acute toxicity

Harmful if swallowed or if inhaled.

(Contd. on page 6) GB

CHEMICALS, INC.

Printing date 21.07.2021

Revision: 21.07.2021

Trade name: Barium nitrate (99.95%-Ba)

(Contd. of page 5)

#### · LD/LC50 values relevant for classification:

**10022-31-8 barium nitrate** Oral LD50 355 mg/kg (rat)

• Primary irritant effect:

· Skin corrosion/irritation Based on available data, the classification criteria are not met.

· Serious eye damage/irritation

- Causes serious eye irritation.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- $\cdot \textit{Germ cell mutagenicity Based on available data, the classification criteria are not met.}$
- Carcinogenicity
- May cause cancer. • **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

#### **SECTION 12: Ecological information**

· 12.1 Toxicity

- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Not known to be hazardous to water.
- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

#### **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- · Recommendation
- Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

· 14.1 UN-Number		
· ADR, IMDG, IATA	UN1446	
· 14.2 UN proper shipping name		
$\cdot ADR$	1446 BARIUM NITRATE	
· IMDG, IATA	BARIUM NITRATE	

Printing date 21.07.2021

CHEMICALS, INC.

Revision: 21.07.2021

	(Contd. of pag
14.3 Transport hazard class(es)	
ADR	
51 6	
Class	5
Class Label	5.1+6.1
	5.1+0.1
IMDG	
51 6	
Class	5.1 Oxidising substances.
Label	5.1/6.1
ΙΑΤΑ	
51	
₩ \¥	
Class	5.1 Oxidising substances.
Label	5.1 (6.1)
14.4 Packing group	
ADR, IMDG, IATA	II
14.5 Environmental hazards:	
Marine pollutant:	No
14.6 Special precautions for user	Not applicable.
Danger code (Kemler):	56
Stowage Category	A
14.7 Transport in bulk according to Ann	
Marpol and the IBC Code	Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	1 kg
Excepted quantities $(EQ)$	Code: E2
	Maximum net quantity per inner packaging: 30 g
Transport category	Maximum net quantity per outer packaging: 500 g 2
Tunnel restriction code	$E^2$
IMDG Limited quantities (LQ)	1 kg
Excepted quantities (EQ)	Code: E2
Excepted quantities (EQ)	Maximum net quantity per inner packaging: 30 g



Printing date 21.07.2021

Revision: 21.07.2021

Trade name: Barium nitrate (99.95%-Ba)

(Contd. of page 7)

· UN ''Model Regulation'':

UN 1446 BARIUM NITRATE, 5.1 (6.1), II

#### **SECTION 15: Regulatory information**

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I Substance is not listed.

- · Seveso category P8 OXIDISING LIQUIDS AND SOLIDS
- $\cdot$  Qualifying quantity (tonnes) for the application of lower-tier requirements 50 t
- $\cdot$  Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t
- · National regulations:
- Additional classification according to Decree on Hazardous Materials, Annex II: Carcinogenic hazardous material group I (extremely dangerous). Carcinogenic hazardous material group II (very dangerous). Carcinogenic hazardous material group III (dangerous).
- Information about limitation of use: Workers are not allowed to be exposed to this hazardous material. Exceptions can be made by the authorities in certain cases.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Technical Department.

- · Contact: Technical Director
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Ox. Sol. 2: Oxidizing solids - Category 2 Acute Tox. 4: Acute toxicity – Category 4 Eye Irrit. 2: Serious eye damage/eye irritation - Category 2 Carc. 1A: Carcinogenicity - Category 1A