Printing date 21.07.2021

CHEMICALS, INC.

Revision: 21.07.2021

Printing date 21.07.2021	Revision: 21.07.2021
SECTION 1: Identification of the substance/mixture and of the comp	pany/undertaking
· 1.1 Product identifier	
· Trade name: <u>Barium oxide (99.5%-Ba)</u>	
 Item number: 93-5651 CAS Number: 1304-28-5 EC number: 215-127-9 Index number: 056-002-00-7 I.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available. 	
 1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: Strem Chemicals, Inc. 7 Mulliken Way NEWBURYPORT, MA 01950 USA info@strem.com 	
 Further information obtainable from: Technical Department 1.4 Emergency telephone number: EMERGENCY: CHEMTREC: + 1 (800) 424-9300 During normal opening times: +1 (978) 499-1600 	
SECTION 2: Hazards identification	
 • 2.1 Classification of the substance or mixture • Classification according to Regulation (EC) No 1272/2008 • GHS06 skull and crossbones 	
Acute Tox. 3 H331 Toxic if inhaled. GHS07	
Acute Tox. 4 H302 Harmful if swallowed.	
Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2 H319 Causes serious eye irritation.	
STOT SE 3 H335 May cause respiratory irritation.	
 • 2.2 Label elements • Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP regulation. • Hazard pictograms 	
GHS06	
· Signal word Danger	(Contd. on page 2)

Printing date 21.07.2021

CHEMICALS.

Revision: 21.07.2021

Trade name: Barium oxide (99.5%-Ba)

	(Contd. of page 1)
Hazard-determ	ining components of labelling:
barium oxide	
Hazard stateme	nts
H302 Harmful i	if swallowed.
H331 Toxic if in	haled.
H315 Causes sk	
H319 Causes se	rious eye irritation.
	e respiratory irritation.
Precautionary s	
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read label before use.
P231	Handle under inert gas.
P222	Do not allow contact with air.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P305+P351+P.	338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
2.3 Other hazar	rds
Results of PBT	and vPvB assessment
PBT: Not applied	
\mathbf{D}	

· **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.1 Chemical characterisation: Substances
- · CAS No. Description
- 1304-28-5 barium oxide
- Identification number(s)
- EC number: 215-127-9
- Index number: 056-002-00-7

SECTION 4: First aid measures

- 4.1 Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Remove breathing equipment only after contaminated clothing have been completely removed.

In case of irregular breathing or respiratory arrest provide artificial respiration.

• After inhalation:

Supply fresh air or oxygen; call for doctor.

In case of unconsciousness place patient stably in side position for transportation.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. • *After swallowing: Call for a doctor immediately.*

· 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 3)

Printing date 21.07.2021

Revision: 21.07.2021

Trade name: Barium oxide (99.5%-Ba)

• **4.3 Indication of any immediate medical attention and special treatment needed** *No further relevant information available.*

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- 6.2 Environmental precautions: Do not allow product to reach sewage system or any water course.
- Inform respective authorities in case of seepage into water course or sewage system.
- \cdot 6.3 Methods and material for containment and cleaning up:
- Dispose contaminated material as waste according to item 13.
- Ensure adequate ventilation.
- **6.4 Reference to other sections** See Section 7 for information on safe handling.
- See Section 7 for information on safe nanating. See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling
- Thorough dedusting.
- Ensure good ventilation/exhaustion at the workplace.
- Open and handle receptacle with care.
- Information about fire and explosion protection: Keep respiratory protective device available.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions:
- Keep container tightly sealed.
- Store in cool, dry conditions in well sealed receptacles.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· Additional information about design of technical facilities: No further data; see item 7.

(Contd. on page 4)

GB –



(Contd. of page 2)

Printing date 21.07.2021

Revision: 21.07.2021

Trade name: Barium oxide (99.5%-Ba)

(Contd. of page 3)

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

1304-28-5 barium oxide

WEL Long-term value: 0.5 mg/m³ as Ba

• Additional information: The lists valid during the making were used as basis.

- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes and skin.

• Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

General Information		
Appearance:		
Form:	Powder	
Colour:	Whitish	
Odour:	Odourless	
Odour threshold:	Not determined.	
pH-value:	Not applicable.	
Change in condition		
Melting point/freezing point:	1.923 °C	
Initial boiling point and boiling ra	nge: Undetermined.	
Flash point:	Not applicable.	

Printing date 21.07.2021

CHEMICALS, INC

Revision: 21.07.2021

	(Contd. of pa	ge
· Flammability (solid, gas):	Not determined.	
· Ignition temperature:		
Decomposition temperature:	Not determined.	
• Auto-ignition temperature:	Not determined.	
· Explosive properties:	Product does not present an explosion hazard.	
· Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapour pressure:	Not applicable.	
· Density at 20 °C:	5.72 g/cm ³	
· Relative density	Not determined.	
· Vapour density	Not applicable.	
· Evaporation rate	Not applicable.	
· Solubility in / Miscibility with		
water:	Insoluble.	
· Partition coefficient: n-octanol/water:	Not determined.	
· Viscosity:		
Dynamic:	Not applicable.	
Kinematic:	Not applicable.	
· Solvent content:		
Organic solvents:	0.0 %	
VÕC (EC)	0.00 %	
Solids content:	100.0 %	
· 9.2 Other information	No further relevant information available.	

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- Acute toxicity Harmful if swallowed. Toxic if inhaled.
- Primary irritant effect:
- · Skin corrosion/irritation
- Causes skin irritation.

(Contd. on page 6)

GB

Printing date 21.07.2021

Revision: 21.07.2021

(Contd. of page 5)

Trade name: Barium oxide (99.5%-Ba)

- · Serious eye damage/irritation
- Causes serious eye irritation.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- \cdot Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure
- May cause respiratory irritation.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes: Not known to be hazardous to water.
- · 12.5 Results of PBT and vPvB assessment
- *PBT:* Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

• 14.1 UN-Number		
· ADR, IMDG, IATA	UN1884	
· 14.2 UN proper shipping name		
ADR	1884 BARIUM OXIDE	
· IMDG, IATA	BARIUM OXIDE	
· 14.3 Transport hazard class(es)		
ADR		
· Class	6	

Printing date 21.07.2021

CHEMICALS, INC

Revision: 21.07.2021

Trade name: Barium oxide (99.5%-Ba)

	(Contd. of pag
Label	6.1
IMDG, IATA	
Class	6.1 Toxic substances.
Label	6.1
14.4 Packing group	
ADR, IMDG, IATA	111
14.5 Environmental hazards:	۸ <i>۲</i>
Marine pollutant:	No
14.6 Special precautions for user	Not applicable.
Danger code (Kemler):	60
Stowage Category	A
14.7 Transport in bulk according to Ann Marpol and the IBC Code	ex II of Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	5 kg Code: E1
Excepted quantities (EQ)	Maximum net quantity per inner packaging: 30 g
	Maximum net quantity per outer packaging: 30 g Maximum net quantity per outer packaging: 1000 g
Transport category	2
Tunnel restriction code	Ε
IMDG	
Limited quantities (LQ)	5 kg
Excepted quantities (EQ)	Code: El
	Maximum net quantity per inner packaging: 30 g
	Maximum net quantity per outer packaging: 1000 g
UN ''Model Regulation'':	UN 1884 BARIUM OXIDE, 6.1, III

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I Substance is not listed.

· Seveso category H2 ACUTE TOXIC

• Qualifying quantity (tonnes) for the application of lower-tier requirements 50 t

• Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

(Contd. on page 8)

GB

Printing date 21.07.2021

Revision: 21.07.2021

Trade name: Barium oxide (99.5%-Ba)

	(Contd. of page
partment issuing SDS: Technical Department.	
ntact: Technical Director	
breviations and acronyms:	
R: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concern	ing the Internatior
riage of Dangerous Goods by Road)	0
DG: International Maritime Code for Dangerous Goods	
A: International Air Transport Association	
S: Globally Harmonised System of Classification and Labelling of Chemicals	
ECS: European Inventory of Existing Commercial Chemical Substances	
S: Chemical Abstracts Service (division of the American Chemical Society)	
C: Volatile Organic Compounds (USA, EU)	
<i>F: Persistent, Bioaccumulative and Toxic</i>	
B: very Persistent and very Bioaccumulative	
te Tox. 4: Acute toxicity – Category 4	
te Tox. 3: Acute toxicity – Category 3	
Prrit. 2: Skin corrosion/irritation – Category 2	
Irrit. 2: Serious eye damage/eye irritation – Category 2	
NT SE 3: Specific target organ toxicity (single exposure) – Category 3	

