Printing date 07/21/2021

Reviewed on 07/21/2021

Page 1/8

1 Identification

- · Product name
- · Trade name: Lanthanum foil (99.9% REO)
- Item number: 93-5750
- · CAS Number:
- 7439-91-0
- *EC number:* 231-099-0
- Details of the supplier of the safety data sheet
 Manufacturer/Supplier: Strem Chemicals, Inc.
 7 Mulliken Way NEWBURYPORT, MA 01950

USA

info@strem.com

- · Information department: Technical Department
- Emergency telephone number: EMERGENCY: CHEMTREC: + 1 (800) 424-9300 During normal opening times: +1 (978) 499-1600

2 Hazard(s) identification

· Classification of the substance or mixture

GHS02 Flame

Flam. Sol. 1 H228 Flammable solid.

Water-react. 2 H261 In contact with water releases flammable gas.

- · Label elements
- · GHS label elements
- The substance is classified and labeled according to the Globally Harmonized System (GHS).
- Hazard pictograms



· Signal word Danger · Hazard statements H228 Flammable solid. H261 In contact with water releases flammable gas. · Precautionary statements P231+P232 Handle under inert gas. Protect from moisture. Keep away from heat/sparks/open flames/hot surfaces. No smoking. P210 P222 Do not allow contact with air. P280 Wear protective gloves/protective clothing/eye protection/face protection. P403+P233 Store in a well-ventilated place. Keep container tightly closed. P501 Dispose of contents/container in accordance with local/regional/national/international regulations. (Contd. on page 2)

ÚS-

Printing date 07/21/2021

Reviewed on 07/21/2021

Trade name: Lanthanum foil (99.9% REO)

(Contd. of page 1)

· Classification system: · NFPA ratings (scale 0 - 4)

$$\begin{array}{c} 0 \\ 0 \\ 0 \\ \psi \end{array} \begin{array}{c} Health = 0 \\ Fire = 0 \\ Reactivity = 2 \end{array}$$

The substance demonstrates unusual reactivity with water. · HMIS-ratings (scale 0 - 4)

= 0 0

· Other hazards

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Substances · CAS No. Description 7439-91-0 lanthanum
- Identification number(s)
- · EC number: 231-099-0

4 First-aid measures

- · Description of first aid measures
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:
- Sand. Do not use water.
- CO2, sand, extinguishing powder. Do not use water.
- Use fire fighting measures that suit the environment.
- · For safety reasons unsuitable extinguishing agents: Water
- Special hazards arising from the substance or mixture No further relevant information available.

(Contd. on page 3)

US

(Contd. of page 2)

Safety Data Sheet according to OSHA HCS

Printing date 07/21/2021

Reviewed on 07/21/2021

Trade name: Lanthanum foil (99.9% REO)

- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- *Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.*
- · Environmental precautions: No special measures required.
- Methods and material for containment and cleaning up:
- Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
- Do not flush with water or aqueous cleansing agents
- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.
- · Protective Action Criteria for Chemicals

• PAC-1:

· PAC-2:

330 mg/m3

30 mg/m3

· PAC-3:

2,000 mg/m3

7 Handling and storage

- · Handling: Handle under inert gas.
- · Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about protection against explosions and fires: Keep ignition sources away Do not smoke.
- · Conditions for safe storage, including any incompatibilities
- Storage: Store contents under inert gas.
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- *Store in cool, dry conditions in well sealed receptacles.*
- Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

- · Control parameters
- · Components with limit values that require monitoring at the workplace: Not required.
- Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

- · Personal protective equipment:
- General protective and hygienic measures: Wash hands before breaks and at the end of work.

· Breathing equipment: Not required.

(Contd. on page 4)

- US

Printing date 07/21/2021

· Protection of hands:

CHEMICALS, INC

Reviewed on 07/21/2021

Trade name: Lanthanum foil (99.9% REO)

(Contd. of page 3)



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation \cdot *Material of gloves*

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Safety glasses

9 Physical and chemical properties

General Information	
Appearance: Form:	
1 01.000	Foil
Color:	Silver grey
Odor: Odor threshold:	Odorless Not determined.
pH-value:	Not applicable.
Change in condition	
Melting point/Melting range:	920 °C (1688 °F)
Boiling point/Boiling range:	3.454 °C (38 °F)
Flash point:	Not applicable.
Flammability (solid, gaseous):	Flammable.
	Contact with water liberates extremely flammable gases.
Ignition temperature:	
Decomposition temperature:	Not determined.
Auto igniting:	Not determined.
Danger of explosion:	Not determined.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapor pressure:	Not applicable.
Density at 20 °C (68 °F):	6.166 g/cm ³ (51.45527 lbs/gal)
Relative density	Not determined.
Vapor density	Not applicable.
Evaporation rate	Not applicable.

US

Printing date 07/21/2021

CHEMICALS.

Reviewed on 07/21/2021

Trade name: Lanthanum foil (99.9% REO)

		(Contd. of page
Solubility in / Miscibility with		
Water:	Insoluble.	
Partition coefficient (n-octano	l/water): Not determined.	
Viscosity:		
Dynamic:	Not applicable.	
Kinematic:	Not applicable.	
Solvent content:		
Organic solvents:	0.0~%	
VOC content:	0.0 g/l / 0.00 lb/gl	
Solids content:	100.0 %	
Other information	No further relevant information available.	

10 Stability and reactivity

- *Reactivity* No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions Contact with water releases flammable gases.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: No irritating effect.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

Substance is not listed.

· NTP (National Toxicology Program)

Substance is not listed.

- · OSHA-Ca (Occupational Safety & Health Administration)
- Substance is not listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.

(Contd. on page 6)

[•] US

Printing date 07/21/2021

Reviewed on 07/21/2021

Trade name: Lanthanum foil (99.9% REO)

(Contd. of page 5)

- · Mobility in soil No further relevant information available.
- \cdot Additional ecological information:
- General notes: Not known to be hazardous to water.
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · **vPvB:** Not applicable.
- Other adverse effects No further relevant information available.


13 Disposal considerations

· Waste treatment methods

- *Recommendation: Must not be disposed of together with household garbage. Do not allow product to reach sewage system.*
- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

UN-Number		
DOT, IMDG, IATA	UN3208	
UN proper shipping name		
DOT	Metallic substance, water-reactive, n.o.s.	
IMDG, IATA	METALLIC SUBSTANCE, WATER-REACTIVE, N.O.S.	
Transport hazard class(es)		
·DOT		
DANGERCUS 117		
Class	4.3 Substances which, in contact with water, emit flammable gases	
· Label	4.3	
IMDG, IATA		
· Class	4.3 Substances which, in contact with water, emit flammable gases	
· Label	4.3	
Packing group		
· DOT, IMDG, IATA	II	
Environmental hazards:		
• Marine pollutant:	No	
Special precautions for user	Not applicable.	
• EMS Number:	F- G , S - N	
· Stowage Category	E	





Printing date 07/21/2021

Ш

CHEMICALS, INC.

Reviewed on 07/21/2021

	(Contd. of page 6
· Handling Code	H1 Keep as dry as reasonably practicable
· Segregation Code	SG26 In addition: from goods of classes 2.1 and 3 when stowed or deck of a containership a minimum distance of two container space.
	athwartship shall be maintained, when stowed on ro-ro ships a distance of 6 m athwartship shall be maintained.
• Transport in bulk according to Annex	II of
MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
·DOT	
· Quantity limitations	On passenger aircraft/rail: 15 kg
	On cargo aircraft only: 50 kg
· IMDG	
· Limited quantities (LQ)	500 g
\cdot Excepted quantities ($\widetilde{E}Q$)	Code: E2
	Maximum net quantity per inner packaging: 30 g
	Maximum net quantity per outer packaging: 500 g
· UN ''Model Regulation'':	UN 3208 METALLIC SUBSTANCE, WATER-REACTIVE, N.O.S.
-	4.3, II

15 Regulatory information

• Safety, health and environmental regulations/legislation specific for the substance or mixture • Sara

· Section 355 (extremely hazardous substances):	
Substance is not listed.	
· Section 313 (Specific toxic chemical listings):	
Substance is not listed.	
· TSCA (Toxic Substances Control Act):	
Substance is listed.	
· Proposition 65	
· Chemicals known to cause cancer:	
Substance is not listed.	
· Chemicals known to cause reproductive toxicity for females:	
Substance is not listed.	
· Chemicals known to cause reproductive toxicity for males:	
Substance is not listed.	
· Chemicals known to cause developmental toxicity:	
Substance is not listed.	
· Carcinogenic categories	
· EPA (Environmental Protection Agency)	
Substance is not listed.	
· TLV (Threshold Limit Value established by ACGIH)	
Substance is not listed.	
	(Contd. on page

(Contd. on page 8)

US

Printing date 07/21/2021

Reviewed on 07/21/2021

Trade name: Lanthanum foil (99.9% REO)

Trade name: Laninanum jou (99.9% KEO)	
	(Contd. of page 7)
·NIOSH-Ca (National Institute for Occupational Safety and Health)	
Substance is not listed.	
 • GHS label elements The substance is classified and labeled according to the Globally Harmonized System (GHS). • Hazard pictograms 	
GHS02	
· Signal word Danger	
• Hazard statements H228 Flammable solid.	
H261 In contact with water releases flammable gas.	
· Precautionary statements	
P231+P232 Handle under inert gas. Protect from moisture.	
P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.	
P222 Do not allow contact with air.	
P280 Wear protective gloves/protective clothing/eye protection/face protection.	
P403+P233 Store in a well-ventilated place. Keep container tightly closed.	
P501 Dispose of contents/container in accordance with local/regional/national/internatio	nal regulations.
• <i>Chemical safety assessment:</i> A Chemical Safety Assessment has not been carried out.	
16 Other information This information is based on our present knowledge. However, this shall not constitute a g specific product features and shall not establish a legally valid contractual relationship.	uarantee for any
• Department issuing SDS: Technical Department. • Contact: Technical Director	
· Date of preparation / last revision 07/21/2021 / -	
· Abbreviations and acronyms:	
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concern Carriage of Dangerous Goods by Road)	ing the International
IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation	
IATA: International Air Transport Association	
ACGIH: American Conference of Governmental Industrial Hygienists	
EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)	
NFPA: National Fire Protection Association (USA)	
HMIS: Hazardous Materials Identification System (USA)	
VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic	
vPvB: very Persistent and very Bioaccumulative	
NIOSH: National Institute for Occupational Safety	
OSHA: Occupational Safety & Health	
TLV: Threshold Limit Value PEL: Permissible Exposure Limit	
REL: Recommended Exposure Limit	
Flam. Sol. 1: Flammable solids – Category 1 Water-react. 2: Substances and mixtures which in contact with water emit flammable gases – Category 2	
water-react. 2. Substances and mixtures which in contact with water emit flammable gases – Category 2	

