Printing date 21.07.2021

CHEMICALS, INC.

Revision: 21.07.2021

	ON 1: Identification of the substance/mixture and of the company/undertaking
1.1 Prod	uct identifier
Trade no	ame: <u>Aluminum i-propoxide (99.99+%-Al) PURATREM</u>
Item nu	nber: 97-0139
CAS Nu	mber:
555-31-2	
EC num	
209-090	
Index ni 603-042	
	vant identified uses of the substance or mixture and uses advised against
	er relevant information available.
	ils of the supplier of the safety data sheet
	cturer/Supplier:
	hemicals, Inc.
7 Mullik	en way RYPORT, MA 01950
USA	
info@str	rem.com
Further	information obtainable from: Technical Department
1.4 Eme	rgency telephone number:
	ENCY: CHEMTREC: + 1 (800) 424-9300
During 1	normal opening times: +1 (978) 499-1600
2.1 Clas	ON 2: Hazards identification sification of the substance or mixture ation according to Regulation (EC) No 1272/2008
2.1 Clas	sification of the substance or mixture ation according to Regulation (EC) No 1272/2008
2.1 Clas	sification of the substance or mixture
2.1 Class Classific	sification of the substance or mixture ation according to Regulation (EC) No 1272/2008
2.1 Classific Classific Flam. So	sification of the substance or mixture ation according to Regulation (EC) No 1272/2008 GHS02 flame
2.1 Class Classific Classific Flam. Sc 2.2 Labe	sification of the substance or mixture ation according to Regulation (EC) No 1272/2008 GHS02 flame M. 1 H228 Flammable solid.
2.1 Class Classific Classific Flam. Sc 2.2 Labe Labellin The subs	sification of the substance or mixture ation according to Regulation (EC) No 1272/2008 GHS02 flame of. 1 H228 Flammable solid. I elements g according to Regulation (EC) No 1272/2008 tance is classified and labelled according to the CLP regulation.
2.1 Class Classific Classific Flam. Sc 2.2 Labe Labellin The subs	sification of the substance or mixture ation according to Regulation (EC) No 1272/2008 GHS02 flame M. 1 H228 Flammable solid. I elements g according to Regulation (EC) No 1272/2008
2.1 Class Classific Classific Flam. Sc 2.2 Labe Labellin The subs	sification of the substance or mixture ation according to Regulation (EC) No 1272/2008 GHS02 flame of. 1 H228 Flammable solid. I elements g according to Regulation (EC) No 1272/2008 tance is classified and labelled according to the CLP regulation.
2.1 Class Classific Classific Flam. Sc 2.2 Labe Labellin The subs	sification of the substance or mixture ation according to Regulation (EC) No 1272/2008 GHS02 flame of. 1 H228 Flammable solid. I elements g according to Regulation (EC) No 1272/2008 tance is classified and labelled according to the CLP regulation.
2.1 Class Classific Flam. So 2.2 Labe Labellin The subs Hazard	sification of the substance or mixture ation according to Regulation (EC) No 1272/2008 GHS02 flame of. 1 H228 Flammable solid. I elements g according to Regulation (EC) No 1272/2008 tance is classified and labelled according to the CLP regulation.
2.1 Class Classific Classific Flam. Sc 2.2 Labe Labellin The subs	sification of the substance or mixture ation according to Regulation (EC) No 1272/2008 GHS02 flame of. 1 H228 Flammable solid. I elements g according to Regulation (EC) No 1272/2008 tance is classified and labelled according to the CLP regulation.
2.1 Class Classific Flam. So 2.2 Label Labellin The subs Hazard j GHS02 Signal w	sification of the substance or mixture ation according to Regulation (EC) No 1272/2008 GHS02 flame of. 1 H228 Flammable solid. I elements g according to Regulation (EC) No 1272/2008 tance is classified and labelled according to the CLP regulation. pictograms
2.1 Class Classific Flam. So 2.2 Labellin The subs Hazard j GHS02 Signal w Hazard i	sification of the substance or mixture ation according to Regulation (EC) No 1272/2008 GHS02 flame of. 1 H228 Flammable solid. I elements g according to Regulation (EC) No 1272/2008 tance is classified and labelled according to the CLP regulation. pictograms
2.1 Class Classific Flam. So 2.2 Label Labellin The subs Hazard j GHS02 Signal w Hazard s H228 Fl	sification of the substance or mixture ation according to Regulation (EC) No 1272/2008 GHS02 flame of 1 H228 Flammable solid. I elements g according to Regulation (EC) No 1272/2008 tance is classified and labelled according to the CLP regulation. pictograms
2.1 Class Classific Flam. So 2.2 Labe Labellin The subs Hazard GHS02 Signal w Hazard S H228 Fl Precauti	sification of the substance or mixture ation according to Regulation (EC) No 1272/2008 GHS02 flame of 1 H228 Flammable solid. I elements g according to Regulation (EC) No 1272/2008 tance is classified and labelled according to the CLP regulation. oictograms
2.1 Class Classific Flam. So 2.2 Labe Labellin The subs Hazard GHS02 Signal w Hazard s H228 Fl Precauti P101	 sification of the substance or mixture ation according to Regulation (EC) No 1272/2008 GHS02 flame al. 1 H228 Flammable solid. I elements g according to Regulation (EC) No 1272/2008 tance is classified and labelled according to the CLP regulation. bictograms
2.1 Class Classific Flam. So 2.2 Labe Labellin The subs Hazard GHS02 Signal w Hazard S H228 Fl Precauti	sification of the substance or mixture ation according to Regulation (EC) No 1272/2008 GHS02 flame of 1 H228 Flammable solid. I elements g according to Regulation (EC) No 1272/2008 tance is classified and labelled according to the CLP regulation. oictograms
2.1 Class Classific Flam. So 2.2 Labe Labellin The subs Hazard GHS02 Signal w Hazard S H228 Fl Precauti P101 P102 P103 P231	sification of the substance or mixture ation according to Regulation (EC) No 1272/2008 GHS02 flame of 1 H228 Flammable solid. I elements g according to Regulation (EC) No 1272/2008 tance is classified and labelled according to the CLP regulation. pictograms
2.1 Class Classific Flam. Sc 2.2 Labe Labellin The subs Hazard GHS02 Signal w Hazard s H228 Fl Precauti P101 P102 P103 P231 P210	sification of the substance or mixture ation according to Regulation (EC) No 1272/2008 GHS02 flame of 1 H228 Flammable solid. I elements g according to Regulation (EC) No 1272/2008 tance is classified and labelled according to the CLP regulation. pictograms
2.1 Class Classific Flam. So 2.2 Labe Labellin The subs Hazard GHS02 Signal w Hazard S H228 Fl Precauti P101 P102 P103 P231	sification of the substance or mixture ation according to Regulation (EC) No 1272/2008 GHS02 flame of 1 H228 Flammable solid. I elements g according to Regulation (EC) No 1272/2008 tance is classified and labelled according to the CLP regulation. pictograms

Printing date 21.07.2021

Revision: 21.07.2021

Trade name: Aluminum i-propoxide (99.99+%-Al) PURATREM

- P403+P233 Store in a well-ventilated place. Keep container tightly closed.
- P422 Store contents under inert gas.
- *P501* Dispose of contents/container in accordance with local/regional/national/international regulations.

 \cdot 2.3 Other hazards

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.1 Chemical characterisation: Substances
- · CAS No. Description
- 555-31-7 aluminium-tri-isopropoxide
- · Identification number(s)
- EC number: 209-090-8
- · Index number: 603-042-00-3

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- · 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- 6.2 Environmental precautions: No special measures required.
- 6.3 Methods and material for containment and cleaning up: Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
- · 6.4 Reference to other sections
- See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

(Contd. on page 3)



(Contd. of page 1)

Printing date 21.07.2021

Revision: 21.07.2021

Trade name: Aluminum i-propoxide (99.99+%-Al) PURATREM

(Contd. of page 2)

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling Open and handle receptacle with care.
- Information about fire and explosion protection: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.
- Troteet against electrostate charges.
- \cdot 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed. Store in cool, dry conditions in well sealed receptacles.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:
- 555-31-7 aluminium-tri-isopropoxide
- WEL Long-term value: 2 mg/m³
- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures: Wash hands before breaks and at the end of work.
- · Respiratory protection: Not required.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation \cdot *Material of gloves*

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection: Safety glasses

• 9.1 Information on basic pl • General Information	9.1 Information on basic physical and chemical properties General Information			
· Appearance:				
Form:	Powder			
Colour:	White			
· Odour:	Alcohol-like			
		(Contd. on page 4)		

Printing date 21.07.2021

Revision: 21.07.2021

Trade name: Aluminu	n i-propoxide	(99.99+%-Al) PURATREN	M
11 440 1141101 110011000	n i pi oponine	())))))))))))))))))))))))))))))))))))))	-

	(Con	td. of page
Odour threshold:	Not determined.	
pH-value:	Not applicable.	
· Change in condition		
Melting point/freezing point:	118.5 °C	
Initial boiling point and boiling range	2: 140.5 °C	
Flash point:	Not applicable.	
Flammability (solid, gas):	Flammable.	
Ignition temperature:		
Decomposition temperature:	Not determined.	
Auto-ignition temperature:	Not determined.	
Explosive properties:	Not determined.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapour pressure:	Not applicable.	
Density at 20 °C:	1.0346 g/cm ³	
Relative density	Not determined.	
Vapour density	Not applicable.	
Evaporation rate	Not applicable.	
Solubility in / Miscibility with		
water:	Insoluble.	
Partition coefficient: n-octanol/water:	Not determined.	
Viscosity:		
Dynamic:	Not applicable.	
Kinematic:	Not applicable.	
Solvent content:		
Organic solvents:	0.0 %	
VOC (EC)	0.00 %	
Solids content:	100.0 %	
9.2 Other information	No further relevant information available.	

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

• 10.3 Possibility of hazardous reactions No dangerous reactions known.

• 10.4 Conditions to avoid No further relevant information available.

• 10.5 Incompatible materials: No further relevant information available.

• 10.6 Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 5)

GE



Printing date 21.07.2021

Revision: 21.07.2021

Trade name: Aluminum i-propoxide (99.99+%-Al) PURATREM

(Contd. of page 4)

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- Acute toxicity Based on available data, the classification criteria are not met.
- · LD/LC50 values relevant for classification:

555-31-7 aluminium-tri-isopropoxide

Oral LD50 11300 mg/kg (rat)

- · Primary irritant effect:
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

· 12.1 Toxicity

- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Not known to be hazardous to water.
- · 12.5 Results of PBT and vPvB assessment
- *PBT:* Not applicable.
- **vPvB:** Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- **Recommendation** Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information

· 14.1 UN-Number · ADR, IMDG, IATA

UN3178

(Contd. on page 6)

GB –

Printing date 21.07.2021

CHEMICALS, INC.

Revision: 21.07.2021

de name: Aluminum i-propoxide (99.99+9	%-Al) PURATREM
	(Contd. of page
14.2 UN proper shipping name ADR IMDG, IATA	3178 FLAMMABLE SOLID, INORGANIC, N.O.S. (aluminium tri-isopropoxide) FLAMMABLE SOLID, INORGANIC, N.O.S. (aluminium-tr
	isopropoxide)
14.3 Transport hazard class(es)	
ADR	
Class	4
Label	4.1
IMDG, IATA	
Class	4.1 Flammable solids, self-reactive substances and solution desensitised explosives.
Label	4.1
9 14.4 Packing group 9 ADR, IMDG, IATA	II
14.5 Environmental hazards: Marine pollutant:	No
14.6 Special precautions for user	Not applicable.
Danger code (Kemler):	40 E A S C
EMS Number: Stowage Category	F-A,S-G B
14.7 Transport in bulk according to Anne Marpol and the IBC Code	Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	1 kg Code: E2
Excepted quantities (EQ)	<i>Code: E2</i> <i>Maximum net quantity per inner packaging: 30 g</i>
	Maximum net quantity per inner packaging. 50 g Maximum net quantity per outer packaging: 500 g
Transport category	2
Tunnel restriction code	E
IMDG	
Limited quantities (LQ)	l kg
Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 g
	Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 500 g
	(Contd. on page

Printing date 21.07.2021

CHEMICALS.

Revision: 21.07.2021

Trade name: Aluminum i-propoxide (99.99+%-Al) PURATREM

(Contd. of page 6)

GE

· UN ''Model Regulation'':

UN 3178 FLAMMABLE SOLID, INORGANIC, N.O.S. (ALUMINIUM-TRI-ISOPROPOXIDE), 4.1, II

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I Substance is not listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Technical Department.

- · Contact: Technical Director
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Sol. 1: Flammable solids – Category 1