

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 01.08.2016

Revision: 01.08.2016

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

· **1.1 Product identifier**

· **Trade name:** Trimethylaluminum, min. 98%, 93-1360, contained in high-temp 50 ml Swagelok® cylinder (96-1071) for CVD/ALD

· **Item number:** 98-4004

· **CAS Number:**  
75-24-1

· **EC number:**  
200-853-0

· **Index number:**  
013-004-00-2

· **1.2 Relevant identified uses of the substance or mixture and uses advised against**  
No further relevant information available.

· **1.3 Details of the supplier of the safety data sheet**

· **Manufacturer/Supplier:**  
Strem Chemicals, Inc.  
7 Mulliken Way  
NEWBURYPORT, MA 01950  
USA  
info@strem.com

· **Further information obtainable from:** Technical Department

· **1.4 Emergency telephone number:**  
EMERGENCY: CHEMTREC: + 1 (800) 424-9300  
During normal opening times: +1 (978) 499-1600

**SECTION 2: Hazards identification**

· **2.1 Classification of the substance or mixture**

· **Classification according to Regulation (EC) No 1272/2008**



GHS02 flame

Pyr. Liq. 1 H250 Catches fire spontaneously if exposed to air.

Water-react. 1 H260 In contact with water releases flammable gases which may ignite spontaneously.



GHS05 corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

· **2.2 Label elements**

· **Labelling according to Regulation (EC) No 1272/2008**

The substance is classified and labelled according to the CLP regulation.

· **Hazard pictograms**



GHS02



GHS05

· **Signal word** Danger

(Contd. on page 2)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 01.08.2016

Revision: 01.08.2016

**Trade name: Trimethylaluminum, min. 98%, 93-1360, contained in high-temp 50 ml Swagelok® cylinder (96-1071) for CVD/ALD**

(Contd. of page 1)

· **Hazard-determining components of labelling:**

*trimethylaluminium*

· **Hazard statements**

*H250 Catches fire spontaneously if exposed to air.*

*H260 In contact with water releases flammable gases which may ignite spontaneously.*

*H314 Causes severe skin burns and eye damage.*

· **Precautionary statements**

*P101 If medical advice is needed, have product container or label at hand.*

*P102 Keep out of reach of children.*

*P103 Read label before use.*

*P223 Keep away from any possible contact with water, because of violent reaction and possible flash fire.*

*P231+P232 Handle under inert gas. Protect from moisture.*

*P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.*

*P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.*

*P403+P233 Store in a well-ventilated place. Keep container tightly closed.*

*P422 Store contents under inert gas.*

*P501 Dispose of contents/container in accordance with local/regional/national/international regulations.*

· **Additional information:**

*EUH014 Reacts violently with water.*

· **2.3 Other hazards**

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

**SECTION 3: Composition/information on ingredients**

· **3.1 Chemical characterisation: Substances**

· **CAS No. Description**

*75-24-1 trimethylaluminium*

· **Identification number(s)**

· **EC number:** 200-853-0

· **Index number:** 013-004-00-2

**SECTION 4: First aid measures**

· **4.1 Description of first aid measures**

· **General information:** *Immediately remove any clothing soiled by the product.*

· **After inhalation:** *In case of unconsciousness place patient stably in side position for transportation.*

· **After skin contact:** *Immediately wash with water and soap and rinse thoroughly.*

· **After eye contact:** *Rinse opened eye for several minutes under running water. Then consult a doctor.*

· **After swallowing:** *Drink plenty of water and provide fresh air. Call for a doctor immediately.*

· **4.2 Most important symptoms and effects, both acute and delayed** *No further relevant information available.*

· **4.3 Indication of any immediate medical attention and special treatment needed**

*No further relevant information available.*

GB

(Contd. on page 3)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 01.08.2016

Revision: 01.08.2016

**Trade name: Trimethylaluminum, min. 98%, 93-1360, contained in high-temp 50 ml Swagelok® cylinder (96-1071) for CVD/ALD**

(Contd. of page 2)

**SECTION 5: Firefighting measures**

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:**  
CO<sub>2</sub>. Do not use water.  
Sand. Do not use water.  
Special powder for metal fires. Do not use water.  
CO<sub>2</sub>, sand, extinguishing powder. Do not use water.
- **For safety reasons unsuitable extinguishing agents:** Water
- **5.2 Special hazards arising from the substance or mixture**  
During heating or in case of fire poisonous gases are produced.
- **5.3 Advice for firefighters**
- **Protective equipment:** Mouth respiratory protective device.

**SECTION 6: Accidental release measures**

- **6.1 Personal precautions, protective equipment and emergency procedures**  
Mount respiratory protective device.  
Wear protective equipment. Keep unprotected persons away.
- **6.2 Environmental precautions:** Prevent seepage into sewage system, workpits and cellars.
- **6.3 Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Use neutralising agent.  
Dispose contaminated material as waste according to item 13.  
Ensure adequate ventilation.  
Do not flush with water or aqueous cleansing agents
- **6.4 Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

**SECTION 7: Handling and storage**

- **7.1 Precautions for safe handling**  
Ensure good ventilation/exhaustion at the workplace.  
Open and handle receptacle with care.  
Prevent formation of aerosols.
- **Information about fire - and explosion protection:**  
Keep ignition sources away - Do not smoke.  
Keep respiratory protective device available.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**  
Keep container tightly sealed.  
Store in cool, dry conditions in well sealed receptacles.
- **7.3 Specific end use(s)** No further relevant information available.

GB

(Contd. on page 4)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 01.08.2016

Revision: 01.08.2016

**Trade name: Trimethylaluminum, min. 98%, 93-1360, contained in high-temp 50 ml Swagelok® cylinder (96-1071) for CVD/ALD**

(Contd. of page 3)

**SECTION 8: Exposure controls/personal protection**

· **Additional information about design of technical facilities:** No further data; see item 7.

· **8.1 Control parameters**

· **Ingredients with limit values that require monitoring at the workplace:**

**75-24-1 trimethylaluminium**

WEL Long-term value: 2 mg/m<sup>3</sup>

· **Additional information:** The lists valid during the making were used as basis.

· **8.2 Exposure controls**

· **Personal protective equipment:**

· **General protective and hygienic measures:**

- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing
- Wash hands before breaks and at the end of work.
- Store protective clothing separately.
- Avoid contact with the eyes and skin.

· **Respiratory protection:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.  
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:**



Tightly sealed goggles

· **9.1 Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

<b>Form:</b>	Liquid
<b>Colour:</b>	Colourless
<b>Odour:</b>	Odourless
<b>Odour threshold:</b>	Not determined.

· **pH-value:** Not determined.

· **Change in condition**

**Melting point/Melting range:** 15.4 °C

(Contd. on page 5)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 01.08.2016

Revision: 01.08.2016

**Trade name: Trimethylaluminum, min. 98%, 93-1360, contained in high-temp 50 ml Swagelok® cylinder (96-1071) for CVD/ALD**

(Contd. of page 4)

<b>Boiling point/Boiling range:</b>	127 °C
· <b>Flash point:</b>	-17 °C
· <b>Flammability (solid, gaseous):</b>	Not determined.
· <b>Ignition temperature:</b>	PYRO °C
· <b>Decomposition temperature:</b>	Not determined.
· <b>Self-igniting:</b>	Spontaneously flammable in air.
· <b>Danger of explosion:</b>	Explosive when dry.
· <b>Explosion limits:</b>	
<b>Lower:</b>	Not determined.
<b>Upper:</b>	Not determined.
· <b>Vapour pressure at 20 °C:</b>	9mm hPa
· <b>Density at 20 °C:</b>	0.752 g/cm <sup>3</sup> (20°)
· <b>Relative density</b>	Not determined.
· <b>Vapour density</b>	Not determined.
· <b>Evaporation rate</b>	Not determined.
· <b>Solubility in / Miscibility with water:</b>	Not miscible or difficult to mix.
· <b>Partition coefficient (n-octanol/water):</b>	Not determined.
· <b>Viscosity:</b>	
<b>Dynamic:</b>	Not determined.
<b>Kinematic:</b>	Not determined.
· <b>Solvent content:</b>	
<b>Organic solvents:</b>	0.0 %
<b>VOC (EC)</b>	0.00 %
· <b>9.2 Other information</b>	No further relevant information available.

**SECTION 10: Stability and reactivity**

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

**SECTION 11: Toxicological information**

- **11.1 Information on toxicological effects**
- **Acute toxicity** Based on available data, the classification criteria are not met.
- **Primary irritant effect:**
- **Skin corrosion/irritation**  
Causes severe skin burns and eye damage.

(Contd. on page 6)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 01.08.2016

Revision: 01.08.2016

**Trade name: Trimethylaluminum, min. 98%, 93-1360, contained in high-temp 50 ml Swagelok® cylinder (96-1071) for CVD/ALD**

(Contd. of page 5)

- **Serious eye damage/irritation**  
Causes severe skin burns and eye damage.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)**
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

**SECTION 12: Ecological information**

- **12.1 Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:** Must not reach sewage water or drainage ditch undiluted or unneutralised.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

**SECTION 13: Disposal considerations**

- **13.1 Waste treatment methods**
- **Recommendation**  
Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.

**SECTION 14: Transport information**

- |                                       |                                                                    |
|---------------------------------------|--------------------------------------------------------------------|
| · <b>14.1 UN-Number</b>               |                                                                    |
| · <b>ADR, IMDG, IATA</b>              | UN3394                                                             |
| · <b>14.2 UN proper shipping name</b> |                                                                    |
| · <b>ADR</b>                          | 3394 ORGANOMETALLIC SUBSTANCE, LIQUID, PYROPHORIC, WATER- REACTIVE |
| · <b>IMDG</b>                         | ORGANOMETALLIC SUBSTANCE, LIQUID, PYROPHORIC, WATER- REACTIVE      |
| · <b>IATA</b>                         | Organometallic substance, liquid, pyrophoric, water-reactive       |

(Contd. on page 7)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 01.08.2016

Revision: 01.08.2016

**Trade name: Trimethylaluminum, min. 98%, 93-1360, contained in high-temp 50 ml Swagelok® cylinder (96-1071) for CVD/ALD**

(Contd. of page 6)

· **14.3 Transport hazard class(es)**

· **ADR**



· **Class** 4  
· **Label** 4.2+4.3

· **IMDG**



· **Class** 4.2 Substances liable to spontaneous combustion.  
· **Label** 4.2/4.3

· **IATA**



· **Class** 4.2 Substances liable to spontaneous combustion.  
· **Label** 4.2 (4.3)

· **14.4 Packing group**

· **ADR, IMDG, IATA** I

· **14.5 Environmental hazards:**

· **Marine pollutant:** No

· **14.6 Special precautions for user**

· **Danger code (Kemler):** X333  
· **EMS Number:** F-G,S-M  
· **Stowage Category** D  
· **Handling Code** H1 Keep as dry as reasonably practicable  
· **Segregation Code** SG26 In addition: from goods of classes 2.1 and 3 when stowed on deck of a containership a minimum distance of two container spaces athwartship shall be maintained, when stowed on ro-ro ships a distance of 6 m athwartship shall be maintained.  
SG35 Stow "separated from" acids.  
SG63 Stow "separated longitudinally by an intervening complete compartment or hold from" Class 1.

· **14.7 Transport in bulk according to Annex II of**

**Marpol and the IBC Code** Not applicable.

· **Transport/Additional information:**

· **ADR**

· **Limited quantities (LQ)** 0  
· **Excepted quantities (EQ)** Code: E0  
Not permitted as Excepted Quantity

(Contd. on page 8)



**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 01.08.2016

Revision: 01.08.2016

**Trade name: Trimethylaluminum, min. 98%, 93-1360, contained in high-temp 50 ml Swagelok® cylinder (96-1071) for CVD/ALD**

(Contd. of page 7)

· <b>Transport category</b>	0
· <b>Tunnel restriction code</b>	B/E
<hr/>	
· <b>IMDG</b>	
· <b>Limited quantities (LQ)</b>	0
· <b>Excepted quantities (EQ)</b>	Code: E0 Not permitted as Excepted Quantity
· <b>UN "Model Regulation":</b>	UN 3394 ORGANOMETALLIC SUBSTANCE, LIQUID, PYROPHORIC, WATER- REACTIVE, 4.2 (4.3), I

**SECTION 15: Regulatory information**

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I Substance is not listed.**
- **Seveso category**  
P7 PYROPHORIC LIQUIDS AND SOLIDS  
01 Substances or mixtures with hazard statement EUH014
- **Qualifying quantity (tonnes) for the application of lower-tier requirements 50 t**
- **Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t**
- **15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.**

**SECTION 16: Other information**

*This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.*

- **Department issuing MSDS: Technical Department.**
- **Contact: Technical Director**
- **Abbreviations and acronyms:**  
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)  
IMDG: International Maritime Code for Dangerous Goods  
IATA: International Air Transport Association  
GHS: Globally Harmonised System of Classification and Labelling of Chemicals  
EINECS: European Inventory of Existing Commercial Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
VOC: Volatile Organic Compounds (USA, EU)  
PBT: Persistent, Bioaccumulative and Toxic  
vPvB: very Persistent and very Bioaccumulative  
Pyr. Liq. 1: Pyrophoric Liquids, Hazard Category 1  
Water-react. 1: Substances and Mixtures which, in contact with water, emit flammable gases, Hazard Category 1  
Skin Corr. 1B: Skin corrosion/irritation, Hazard Category 1B