Printing date 07/21/2021

Reviewed on 07/15/2021

1 Identification

- · Product name
- Trade name: <u>Tetrakis(dimethylamino)hafnium, 98+% (99.99+%-Hf, <0.2%-Zr) TDMAH, PURATREM, 72-</u> 8000, contained in 50 ml Swagelok® cylinder (96-1070) for CVD/ALD
- Item number: 98-4021
- CAS Number: 19782-68-4
- Details of the supplier of the safety data sheet
 Manufacturer/Supplier: Strem Chemicals, Inc.
 7 Mulliken Way
 NEWBURYPORT, MA 01950
 USA

info@strem.com

- Information department: Technical Department
 Emergency telephone number:
 EMERCENCY, CHEMTREC, 1 (200) 424 020
- *EMERGENCY: CHEMTREC:* +1 (800) 424-9300 *During normal opening times:* +1 (978) 499-1600

2 Hazard(s) identification

· Classification of the substance or mixture



Water-react. 2 H261 In contact with water releases flammable gas.



Skin Corr. 1C H314 Causes severe skin burns and eye damage.

- · Label elements
- · GHS label elements
- The substance is classified and labeled according to the Globally Harmonized System (GHS).
- Hazard pictograms



· Signal word Danger


 Hazard-determining components of labeling: Tetrakis(dimethylamino)hafnium, 98+% (99.99+%-Hf, <0.2%-Zr) TDMAH, PURATREM
 Hazard statements H261 In contact with water releases flammable gas. H314 Causes severe skin burns and eye damage.
 Precautionary statements P231+P232 Handle under inert gas. Protect from moisture. P235 Keep cool.

(Contd. on page 2)

[–] ÚS

Printing date 07/21/2021

Reviewed on 07/15/2021



CHEMICALS, INC

Printing date 07/21/2021

Reviewed on 07/15/2021

Trade name: Tetrakis(dimethylamino)hafnium, 98+% (99.99+%-Hf, <0.2%-Zr) TDMAH, PURATREM, 72-8000, contained in 50 ml Swagelok® cylinder (96-1070) for CVD/ALD

(Contd. of page 2)

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:

Sand. Do not use water.

CO2, sand, extinguishing powder. Do not use water.

Use fire fighting measures that suit the environment.

- · For safety reasons unsuitable extinguishing agents: Water
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

• Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.

• Environmental precautions: No special measures required.

Methods and material for containment and cleaning up: Use neutralizing agent.
Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
Do not flush with water or aqueous cleansing agents
Reference to other sections
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.

See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

· PAC-1:

Substance is not listed.

· PAC-2:

Substance is not listed.

· PAC-3:

Substance is not listed.

7 Handling and storage

- · Handling:
- Precautions for safe handling
- Thorough dedusting.

Open and handle receptacle with care.

· Information about protection against explosions and fires: Keep ignition sources away - Do not smoke.

· Conditions for safe storage, including any incompatibilities


· Storage: Keep cool.

- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions:
- Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

· Recommended storage temperature: Store at temperatures not exceeding -18 °C. Keep cool.

US



Reviewed on 07/15/2021

Trade name: Tetrakis(dimethylamino)hafnium, 98+% (99.99+%-Hf, <0.2%-Zr) TDMAH, PURATREM, 72-8000, contained in 50 ml Swagelok® cylinder (96-1070) for CVD/ALD

(Contd. of page 3)

• Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- Components with limit values that require monitoring at the workplace: Not required.
- Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment: Wear protective clothing
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.
- · Breathing equipment: Not required.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation \cdot *Material of gloves*

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

- · Penetration time of glove material
- The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

• Information on basic physical and chemical properties
· General Information

· Appearance:Form:CrystallineColor:Light yellow· Odor:Amine-like· Odor threshold:Not determined.· pH-value:Not applicable.

(Contd. on page 5)

US

Printing date 07/21/2021

Safety Data Sheet according to OSHA HCS

Reviewed on 07/15/2021

Page 5/9

Trade name: Tetrakis(dimethylamino)hafnium, 98+% (99.99+%-Hf, <0.2%-Zr) TDMAH, PURATREM, 72-8000, contained in 50 ml Swagelok® cylinder (96-1070) for CVD/ALD (Contd. of page 4) Change in condition Melting point/Melting range: Undetermined. **Boiling point/Boiling range:** Undetermined. · Flash point: Not applicable. · Flammability (solid, gaseous): Flammable. · Ignition temperature: **Decomposition temperature:** Not determined. • Auto igniting: Not determined. · Danger of explosion: Not determined. · Explosion limits: Not determined. Lower: Not determined. Upper: · Vapor pressure: Not applicable. Not determined. · Density: · Relative density Not determined. · Vapor density Not applicable. · Evaporation rate Not applicable. · Solubility in / Miscibility with Water: Insoluble. · Partition coefficient (n-octanol/water): Not determined. · Viscosity: Dynamic: Not applicable. Kinematic: Not applicable. · Solvent content: Organic solvents: 0.0% **VOC content:** 0.0 g/l / 0.00 lb/gl 100.0 % Solids content: • Other information No further relevant information available.

10 Stability and reactivity

· Reactivity No further relevant information available.

· Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.

· Incompatible materials: No further relevant information available.

· Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 6)

Printing date 07/21/2021

Reviewed on 07/15/2021

Trade name: Tetrakis(dimethylamino)hafnium, 98+% (99.99+%-Hf, <0.2%-Zr) TDMAH, PURATREM, 72-8000, contained in 50 ml Swagelok® cylinder (96-1070) for CVD/ALD

(Contd. of page 5)

11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:
- · Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: No irritating effect.
- Sensitization: No sensitizing effects known.
- \cdot Additional toxicological information:
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)
- Substance is not listed.

· NTP (National Toxicology Program)

Substance is not listed.

- · OSHA-Ca (Occupational Safety & Health Administration)
- Substance is not listed.

12 Ecological information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- *Mobility in soil* No further relevant information available.
- · Additional ecological information:
- · General notes: Must not reach bodies of water or drainage ditch undiluted or unneutralized.
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- *Recommendation:* Disposal must be made according to official regulations.

* ¥		
· UN-Number · DOT, IMDG, IATA	UN3131	
· UN proper shipping name		
$\cdot DOT$	Water-reactive solid, corrosive, n.o.s.	



Printing date 07/21/2021

Reviewed on 07/15/2021

	(Contd. of page
· IMDG, IATA	WATER-REACTIVE SOLID, CORROSIVE, N.O.S.
• Transport hazard class(es)	WITER-REACTIVE SOLID, CORROSIVE, N.O.S.
• DOT	
• Class • Label	<i>4.3 Substances which, in contact with water, emit flammable gases 4.3,</i> 8
· IMDG	
· Class · Label	4 4.3/8
· Class	4.3 Substances which, in contact with water, emit flammable gases
· Label · Packing group	4.3 (8)
· DOT, IMDG, IATA	II
· Environmental hazards: · Marine pollutant:	No
Special precautions for user EMS Number:	Not applicable. F-G,S-L
Stowage Category Stowage Code Handling Code	E SW3 Shall be transported under temperature control. H1 Keep as dry as reasonably practicable
· Segregation Code	SG26 In addition: from goods of classes 2.1 and 3 when stowed of deck of a containership a minimum distance of two container space athwartship shall be maintained, when stowed on ro-ro ships of distance of 6 m athwartship shall be maintained.
• Transport in bulk according to Annex MARPOL73/78 and the IBC Code	II of Not applicable.
• Transport/Additional information:	
· DOT · Quantity limitations	On passenger aircraft/rail: 15 kg



Printing date 07/21/2021

Reviewed on 07/15/2021

Trade name: Tetrakis(dimethylamino)hafnium, 98+% (99.99+%-Hf, <0.2%-Zr) TDMAH, PURATREM, 72-8000, contained in 50 ml Swagelok® cylinder (96-1070) for CVD/ALD

(Contd. of page 7)

· UN ''Model Regulation'':

UN 3131 WATER-REACTIVE SOLID, CORROSIVE, N.O.S., 4.3 (8), II

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture · Sara

· Section 355 (extremely hazardous substances):

Substance is not listed.

· Section 313 (Specific toxic chemical listings):

Substance is not listed.

· TSCA (Toxic Substances Control Act):

Substance is not listed.

· Proposition 65

· Chemicals known to cause cancer:

Substance is not listed.

• Chemicals known to cause reproductive toxicity for females:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for males:

Substance is not listed.

· Chemicals known to cause developmental toxicity:

Substance is not listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

Substance is not listed.

· TLV (Threshold Limit Value established by ACGIH)

Substance is not listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

Substance is not listed.

· GHS label elements

The substance is classified and labeled according to the Globally Harmonized System (GHS). • *Hazard pictograms*



GHS02 GHS05

· Signal word Danger

· Hazard-determining components of labeling:

Tetrakis(dimethylamino)hafnium, 98+% (99.99+%-Hf, <0.2%-Zr) TDMAH, PURATREM · *Hazard statements*

H261 In contact with water releases flammable gas. H314 Causes severe skin burns and eye damage.

US

Printing date 07/21/2021

Reviewed on 07/15/2021

Trade name: Tetrakis(dimethylamino)hafnium, 98+% (99.99+%-Hf, <0.2%-Zr) TDMAH, PURATREM, 72-8000, contained in 50 ml Swagelok® cylinder (96-1070) for CVD/ALD

(Contd. of page 8)

· Precautionary statements					
P231+P232	Handle under inert gas. Protect from moisture.				
P235	Keep cool.				
P303+P361+P353	3 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.				
P305+P351+P336	8 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.				
P422	Store contents under inert gas.				
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.				
• Chemical safety assessment: A Chemical Safety Assessment has not been carried out.					

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Department issuing SDS: Technical Department.

· Contact: Technical Director

· Date of preparation / last revision 07/21/2021 / -

· Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Water-react. 2: Substances and mixtures which in contact with water emit flammable gases - Category 2 Skin Corr. 1C: Skin corrosion/irritation - Category 1C

