

**Safety Data Sheet**  
according to OSHA HCS

Printing date 07/21/2021

Reviewed on 07/21/2021

**1 Identification**

- **Product name**
- **Trade name:** Titanium(IV) chloride, 99%, 22-1150, contained in 50 ml Swagelok® cylinder (96-1070) for CVD/ALD
- **Item number:** 98-4033
- **CAS Number:** 7550-45-0
- **EINECS Number:** 23-1
- **Index number:** 022-001-00-5
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
Strem Chemicals, Inc.  
7 Mulliken Way  
NEWBURYPORT, MA 01950  
USA  
info@strem.com
- **Information department:** Technical Department
- **Emergency telephone number:**  
EMERGENCY: CHEMTREC: + 1 (800) 424-9300  
During normal opening times: +1 (978) 499-1600

**2 Hazard(s) identification**

- **Classification of the substance or mixture**



GHS06 Skull and crossbones

- Acute Tox. 1 H300 Fatal if swallowed.
- Acute Tox. 1 H310 Fatal in contact with skin.
- Acute Tox. 1 H330 Fatal if inhaled.



GHS05 Corrosion

- Skin Corr. 1B H314 Causes severe skin burns and eye damage.

- **Label elements**
- **GHS label elements**  
The substance is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**



GHS05 GHS06

- **Signal word** Danger
- **Hazard-determining components of labeling:**  
titanium tetrachloride

(Contd. on page 2)

**Safety Data Sheet**  
according to OSHA HCS

Printing date 07/21/2021

Reviewed on 07/21/2021

**Trade name: Titanium(IV) chloride, 99%, 22-1150, contained in 50 ml Swagelok® cylinder (96-1070) for CVD/  
ALD**

(Contd. of page 1)

· **Hazard statements**

H300+H310+H330 *Fatal if swallowed, in contact with skin or if inhaled.*

H314 *Causes severe skin burns and eye damage.*

· **Precautionary statements**

P231 *Handle under inert gas.*

P284 *[In case of inadequate ventilation] wear respiratory protection.*

P301+P310 *IF SWALLOWED: Immediately call a POISON CENTER/ doctor.*

P303+P361+P353 *If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.*

P305+P351+P338 *If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.*

P403+P233 *Store in a well-ventilated place. Keep container tightly closed.*

P501 *Dispose of contents/container in accordance with local/regional/national/international regulations.*

· **Classification system:**

· **NFPA ratings (scale 0 - 4)**



Health = 3

Fire = 0

Reactivity = 2

*The substance demonstrates unusual reactivity with water.*

· **HMIS-ratings (scale 0 - 4)**



Health = 3

Fire = 0

Reactivity = 2

· **Other hazards**

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

### 3 Composition/information on ingredients

· **Chemical characterization: Substances**

· **CAS No. Description**

7550-45-0 titanium tetrachloride

· **Identification number(s)**

· **EC number:** 23-1

· **Index number:** 022-001-00-5

### 4 First-aid measures

· **Description of first aid measures**

· **General information:**

*Immediately remove any clothing soiled by the product.*

*Remove breathing apparatus only after contaminated clothing have been completely removed.*

*In case of irregular breathing or respiratory arrest provide artificial respiration.*

· **After inhalation:**

*Supply fresh air or oxygen; call for doctor.*

(Contd. on page 3)

**Safety Data Sheet**  
according to OSHA HCS

Printing date 07/21/2021

Reviewed on 07/21/2021

**Trade name: Titanium(IV) chloride, 99%, 22-1150, contained in 50 ml Swagelok® cylinder (96-1070) for CVD/ALD**

(Contd. of page 2)

- In case of unconsciousness place patient stably in side position for transportation.*
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing:** Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

**5 Fire-fighting measures**

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture**  
During heating or in case of fire poisonous gases are produced.
- **Advice for firefighters**
- **Protective equipment:** Mouth respiratory protective device.

**6 Accidental release measures**

- **Personal precautions, protective equipment and emergency procedures**  
Mount respiratory protective device.  
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:** No special measures required.
- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Use neutralizing agent.  
Dispose contaminated material as waste according to item 13.  
Ensure adequate ventilation.
- **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.
- **Protective Action Criteria for Chemicals**

· **PAC-1:**

0.65 ppm

· **PAC-2:**

1.0 ppm

· **PAC-3:**

5.7 ppm

**7 Handling and storage**

- **Handling:**
- **Precautions for safe handling**  
Ensure good ventilation/exhaustion at the workplace.  
Open and handle receptacle with care.  
Prevent formation of aerosols.

(Contd. on page 4)

**Safety Data Sheet**  
according to OSHA HCS

Printing date 07/21/2021

Reviewed on 07/21/2021

**Trade name: Titanium(IV) chloride, 99%, 22-1150, contained in 50 ml Swagelok® cylinder (96-1070) for CVD/ALD**

(Contd. of page 3)

- **Information about protection against explosions and fires:** Keep respiratory protective device available.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**
  - Keep receptacle tightly sealed.
  - Store in cool, dry conditions in well sealed receptacles.
- **Specific end use(s)** No further relevant information available.

**8 Exposure controls/personal protection**

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**

· **Components with limit values that require monitoring at the workplace:**

**7550-45-0 titanium tetrachloride**

**WEEL** Long-term value: 0.5 mg/m<sup>3</sup>

· **Additional information:** The lists that were valid during the creation were used as basis.

- **Exposure controls**
- **Personal protective equipment:** Wear protective clothing
- **General protective and hygienic measures:**
  - Keep away from foodstuffs, beverages and feed.
  - Immediately remove all soiled and contaminated clothing.
  - Wash hands before breaks and at the end of work.
  - Store protective clothing separately.
  - Avoid contact with the eyes and skin.
- **Breathing equipment:** A NIOSH approved respirator in accordance with 29 CFR 1910.134.
- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.  
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.  
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- **Material of gloves**
  - The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.
- **Penetration time of glove material**
  - The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 5)

**Safety Data Sheet**  
according to OSHA HCS

Printing date 07/21/2021

Reviewed on 07/21/2021

**Trade name: Titanium(IV) chloride, 99%, 22-1150, contained in 50 ml Swagelok® cylinder (96-1070) for CVD/  
ALD**

(Contd. of page 4)

· **Eye protection:**



Tightly sealed goggles

**9 Physical and chemical properties**

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

· **Form:** Liquid  
 · **Color:** Light yellow  
 · **Odor:** Pungent  
 · **Odor threshold:** Not determined.

· **pH-value:** Not determined.

· **Change in condition**

· **Melting point/Melting range:** Undetermined.  
 · **Boiling point/Boiling range:** 136 °C (277 °F)

· **Flash point:** Not applicable.

· **Flammability (solid, gaseous):** Not determined.

· **Ignition temperature:**

· **Decomposition temperature:** Not determined.

· **Auto igniting:** Not determined.

· **Danger of explosion:** Product does not present an explosion hazard.

· **Explosion limits:**

· **Lower:** Not determined.  
 · **Upper:** Not determined.

· **Vapor pressure at 21 °C (70 °F):** 10 hPa (8 mm Hg)

· **Density at 20 °C (68 °F):** 1.726 g/cm<sup>3</sup> (14.40347 lbs/gal)

· **Relative density** Not determined.

· **Vapor density** Not determined.

· **Evaporation rate** Not determined.

· **Solubility in / Miscibility with**

· **Water:** Not miscible or difficult to mix.

· **Partition coefficient (n-octanol/water):** Not determined.

· **Viscosity:**

· **Dynamic:** Not determined.

· **Kinematic:** Not determined.

· **Solvent content:**

· **Organic solvents:** 0.0 %

· **VOC content:** 0.0 g/l / 0.00 lb/gl

(Contd. on page 6)

**Safety Data Sheet**  
according to OSHA HCS

Printing date 07/21/2021

Reviewed on 07/21/2021

**Trade name: Titanium(IV) chloride, 99%, 22-1150, contained in 50 ml Swagelok® cylinder (96-1070) for CVD/  
ALD**

(Contd. of page 5)

· **Other information** No further relevant information available.

**10 Stability and reactivity**

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

**11 Toxicological information**

- **Information on toxicological effects**
- **Acute toxicity:**

· **LD/LC50 values that are relevant for classification:**

7550-45-0 titanium tetrachloride

Oral	LD50	460 mg/kg (rat)
------	------	-----------------

- **Primary irritant effect:**
- **on the skin:** Caustic effect on skin and mucous membranes.
- **on the eye:** Strong caustic effect.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**  
Danger through skin absorption.  
Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

· **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**

Substance is not listed.

· **NTP (National Toxicology Program)**

Substance is not listed.

· **OSHA-Ca (Occupational Safety & Health Administration)**

Substance is not listed.

**12 Ecological information**

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:** Must not reach bodies of water or drainage ditch undiluted or unneutralized.

(Contd. on page 7)

**Safety Data Sheet**  
according to OSHA HCS

Printing date 07/21/2021

Reviewed on 07/21/2021

**Trade name: Titanium(IV) chloride, 99%, 22-1150, contained in 50 ml Swagelok® cylinder (96-1070) for CVD/ALD**




(Contd. of page 6)

- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

**13 Disposal considerations**

- **Waste treatment methods**
- **Recommendation:**  
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

**14 Transport information**

- **UN-Number**
- **DOT, IMDG, IATA** UN1838
- **UN proper shipping name**
- **DOT** Titanium tetrachloride
- **IMDG, IATA** TITANIUM TETRACHLORIDE
- **Transport hazard class(es)**
- **DOT**
- 
- **Class** 6.1 Toxic substances
- **Label** 6.1, 8
- **IMDG**
- 
- **Class** 6.1 Toxic substances
- **Label** 6.1/8
- **IATA**
- 
- **Class** 6.1 Toxic substances
- **Label** 6.1 (8)
- **Packing group**
- **DOT, IMDG, IATA** I

(Contd. on page 8)

**Safety Data Sheet**  
according to OSHA HCS

Printing date 07/21/2021

Reviewed on 07/21/2021

**Trade name: Titanium(IV) chloride, 99%, 22-1150, contained in 50 ml Swagelok® cylinder (96-1070) for CVD/  
ALD**

(Contd. of page 7)

· <b>Environmental hazards:</b>	
· <b>Marine pollutant:</b>	No
· <b>Special precautions for user</b>	Not applicable.
· <b>Poison inhalation hazard:</b>	Yes
· <b>Danger code (Kemler):</b>	X80
· <b>EMS Number:</b>	F-A,S-B
· <b>Segregation groups</b>	Acids, heavy metals and their salts (including their organometallic compounds)
· <b>Stowage Category</b>	D
· <b>Stowage Code</b>	SW2 Clear of living quarters.
· <b>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b>	Not applicable.
· <b>Transport/Additional information:</b>	
· <b>DOT</b>	
· <b>Quantity limitations</b>	On passenger aircraft/rail: Forbidden On cargo aircraft only: Forbidden
· <b>IMDG</b>	
· <b>Limited quantities (LQ)</b>	0
· <b>Excepted quantities (EQ)</b>	Code: E0 Not permitted as Excepted Quantity
· <b>UN "Model Regulation":</b>	UN 1838 TITANIUM TETRACHLORIDE, 6.1 (8), I

**15 Regulatory information**

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- Sara

· **Section 355 (extremely hazardous substances):**

Substance is listed.

· **Section 313 (Specific toxic chemical listings):**

Substance is listed.

· **TSCA (Toxic Substances Control Act):**

Substance is listed.

· **Proposition 65**

· **Chemicals known to cause cancer:**

Substance is not listed.

· **Chemicals known to cause reproductive toxicity for females:**

Substance is not listed.

· **Chemicals known to cause reproductive toxicity for males:**

Substance is not listed.

· **Chemicals known to cause developmental toxicity:**

Substance is not listed.

(Contd. on page 9)



**Safety Data Sheet**  
according to OSHA HCS

Printing date 07/21/2021

Reviewed on 07/21/2021

**Trade name: Titanium(IV) chloride, 99%, 22-1150, contained in 50 ml Swagelok® cylinder (96-1070) for CVD/  
ALD**

(Contd. of page 8)

· **Carcinogenic categories**

· **EPA (Environmental Protection Agency)**

Substance is not listed.

· **TLV (Threshold Limit Value established by ACGIH)**

Substance is not listed.

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

Substance is not listed.

· **GHS label elements**

The substance is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms**



GHS05 GHS06

· **Signal word Danger**

· **Hazard-determining components of labeling:**

titanium tetrachloride

· **Hazard statements**

H300+H310+H330 Fatal if swallowed, in contact with skin or if inhaled.

H314 Causes severe skin burns and eye damage.

· **Precautionary statements**

P231 Handle under inert gas.

P284 [In case of inadequate ventilation] wear respiratory protection.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

**16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Department issuing SDS:** Technical Department.

· **Contact:** Technical Director

· **Date of preparation / last revision** 07/21/2021 / -

· **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

(Contd. on page 10)

**Safety Data Sheet**  
according to OSHA HCS

Printing date 07/21/2021

Reviewed on 07/21/2021

**Trade name: Titanium(IV) chloride, 99%, 22-1150, contained in 50 ml Swagelok® cylinder (96-1070) for CVD/  
ALD**

(Contd. of page 9)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Acute Tox. 1: Acute toxicity – Category 1

Skin Corr. 1B: Skin corrosion/irritation – Category 1B

US