HEMICALS, INC.

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 28.02.2022

Revision: 28.02.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- Trade name: <u>Tetrakis(dimethylamino)zirconium(IV), 98% (99.99%-Zr)</u> TDMAZ, 40-4115, contained in 50ml Swagelok® cylinder (96-1070) for CVD/ALD
- Item number: 98-4042
- · CAS Number:
- 19756-04-8
- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Strem Chemicals, Inc. 7 Mulliken Way NEWBURYPORT, MA 01950 USA info@strem.com
- · Further information obtainable from: Technical Department
- 1.4 Emergency telephone number: EMERGENCY: CHEMTREC: + 1 (800) 424-9300 During normal opening times: +1 (978) 499-1600

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture · Classification according to Regulation (EC) No 1272/2008



Water-react. 2 H261 In contact with water releases flammable gases.

GHS05 corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

· 2.2 Label elements

- · Labelling according to Regulation (EC) No 1272/2008
- *The substance is classified and labelled according to the CLP regulation. Hazard pictograms*



· Signal word Danger

• Hazard-determining components of labelling:

Tetrakis(dimethylamino)zirconium, 99% (99.99%-Zr) PURATREM TDMAZ

· Hazard statements

H261 In contact with water releases flammable gases.

H314 Causes severe skin burns and eye damage.

• **Precautionary statements** P101 If medi

If medical advice is needed, have product container or label at hand.

(Contd. on page 2)

GB

CHEMICALS, INC.

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 28.02.2022

Revision: 28.02.2022

Trade name: Tetrakis(dimethylamino)zirconium(IV), 98% (99.99%-Zr) TDMAZ, 40-4115, contained in 50ml Swagelok® cylinder (96-1070) for CVD/ALD

	(Contd. of page 1)
P102	Keep out of reach of children.
P103	Read label before use.
P223	Do not allow contact with water.
P231+P232	Handle under inert gas. Protect from moisture.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.
	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
· Additional informa	ntion:
EUH014 Reacts via	plently with water.
· 2.3 Other hazards	
· Results of PBT and	l vPvB assessment
· PBT: Not applicable	le.

• **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

- 3.1 Chemical characterisation: Substances
- · CAS No. Description

19756-04-8 Tetrakis(dimethylamino)zirconium, 99% (99.99%-Zr) PURATREM TDMAZ

SECTION 4: First aid measures

• 4.1 Description of first aid measures

- *General information: Immediately remove any clothing soiled by the product.*
- · After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- *After skin contact: Immediately wash with water and soap and rinse thoroughly.*
- After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- After swallowing: Drink plenty of water and provide fresh air. Call for a doctor immediately.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents:
- CO2. Do not use water.
- Sand. Do not use water.
- Special powder for metal fires. Do not use water.
- CO2, sand, extinguishing powder. Do not use water.
- Use fire extinguishing methods suitable to surrounding conditions.
- For safety reasons unsuitable extinguishing agents: Water
- 5.2 Special hazards arising from the substance or mixture During heating or in case of fire poisonous gases are produced.

(Contd. on page 3)

GB

Printing date 28.02.2022

Revision: 28.02.2022

Trade name: Tetrakis(dimethylamino)zirconium(IV), 98% (99.99%-Zr) TDMAZ, 40-4115, contained in 50ml Swagelok® cylinder (96-1070) for CVD/ALD

(Contd. of page 2)

- · 5.3 Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Mount respiratory protective device.
Wear protective equipment. Keep unprotected persons away.
6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
6.3 Methods and material for containment and cleaning up: Use neutralising agent.
Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
Do not flush with water or aqueous cleansing agents
6.4 Reference to other sections See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling
- Thorough dedusting. Ensure good ventilation/exhaustion at the workplace. Information about fire - and explosion protection:
- Keep ignition sources away Do not smoke. Keep respiratory protective device available.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage: Keep cool.
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Store away from foodstuffs.
- *Further information about storage conditions: Keep container tightly sealed.*
- Store in cool, dry conditions in well sealed receptacles.
- Recommended storage temperature: Store at temperatures not exceeding -18 °C. Keep cool.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

· 8.1 Control parameters

- · Ingredients with limit values that require monitoring at the workplace: Not required.
- *Additional information:* The lists valid during the making were used as basis.

· 8.2 Exposure controls


- · Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work.

(Contd. on page 4)

GB

Printing date 28.02.2022

Revision: 28.02.2022





Printing date 28.02.2022

Revision: 28.02.2022

Trade name: Tetrakis(dimethylamino)zirconium(IV), 98% (99.99%-Zr) TDMAZ, 40-4115, contained in 50ml Swagelok® cylinder (96-1070) for CVD/ALD

		(Contd. of page
· Relative density	Not determined.	
· Vapour density	Not applicable.	
Evaporation rate	Not applicable.	
· Solubility in / Miscibility with		
water:	Insoluble.	
· Partition coefficient: n-octanol/water:	Not determined.	
· Viscosity:		
Dynamic:	Not applicable.	
Kinematic:	Not applicable.	
· Solvent content:		
Organic solvents:	0.0 %	
VÕC (EC)	0.00 %	
Solids content:	100.0 %	
• 9.2 Other information	No further relevant information available.	

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions Contact with water releases flammable gases.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- 11.1 Information on toxicological effects
- Acute toxicity Based on available data, the classification criteria are not met.
- Primary irritant effect:
- Skin corrosion/irritation
- Causes severe skin burns and eye damage.
- · Serious eye damage/irritation
- Causes severe skin burns and eye damage.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- \cdot **Reproductive toxicity** Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- \cdot **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

· 12.1 Toxicity

• Aquatic toxicity: No further relevant information available.

(Contd. on page 6)

GB

Printing date 28.02.2022

Revision: 28.02.2022

Trade name: Tetrakis(dimethylamino)zirconium(IV), 98% (99.99%-Zr) TDMAZ, 40-4115, contained in 50ml Swagelok® cylinder (96-1070) for CVD/ALD

(Contd. of page 5)

- · 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. Must not reach sewage water or drainage ditch undiluted or unneutralised.

- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.

• **vPvB:** Not applicable.

· 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport informa	tion
· 14.1 UN-Number · ADR, IMDG, IATA	UN3131
 14.2 UN proper shipping name ADR IMDG, IATA 	3131 WATER-REACTIVE SOLID, CORROSIVE, N.O.S. WATER-REACTIVE SOLID, CORROSIVE, N.O.S.
· 14.3 Transport hazard class(es)	
· ADR	
Class	4
·Label	4.3+8
·IMDG	
·Label	4.3/8
	(Contd. on page 7



CHEMICALS, INC.

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 28.02.2022

Revision: 28.02.2022

Swagelok® cylinder (96-1070)	for CVD/ALD
	(Contd. of page
· IATA	
· Class	4.3 Substances which, in contact with water, emit flammabl gases.
· Label	4.3 (8)
· 14.4 Packing group · ADR, IMDG, IATA	II
· 14.5 Environmental hazards: · Marine pollutant:	No
 14.6 Special precautions for user EMS Number: Stowage Category Stowage Code Handling Code Segregation Code 	Not applicable. F-G,S-L E SW3 Shall be transported under temperature control. H1 Keep as dry as reasonably practicable SG26 In addition: from goods of classes 2.1 and 3 whe stowed on deck of a containership a minimum distance of tw container spaces athwartship shall be maintained, whe stowed on ro-ro ships a distance of 6 m athwartship shall b maintained.
• 14.7 Transport in bulk according to Ann Marpol and the IBC Code	ex II of Not applicable.
Transport/Additional information:	
· ADR · Limited quantities (LQ) · Excepted quantities (EQ)	500 g Code: E2 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 500 g
· IMDG · Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 500 g
· UN "Model Regulation":	UN 3131 WATER-REACTIVE SOLID, CORROSIVE, N.O.S 4.3 (8), II

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I Substance is not listed.

- · Seveso category O1 Substances or mixtures with hazard statement EUH014
- Qualifying quantity (tonnes) for the application of lower-tier requirements 100 t
- $\cdot \tilde{Q}$ ualifying quantity (tonnes) for the application of upper-tier requirements 500 t

(Contd. on page 8)

GB

HEMICALS, INC.

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 28.02.2022

Revision: 28.02.2022

(Contd. of page 7)

Trade name: Tetrakis(dimethylamino)zirconium(IV), 98% (99.99%-Zr) TDMAZ, 40-4115, contained in 50ml Swagelok® cylinder (96-1070) for CVD/ALD

• **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 40

· National regulations:

- Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Technical Department.
- · Contact: Technical Director
- · Abbreviations and acronyms:
- ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- VOC: Volatile Organic Compounds (USA, EU)
- PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative Water-react. 2: Substances and mixtures which in contact with water emit flammable gases – Category 2
- Skin Corr. 1B: Skin corrosion/irritation Category 1B