

Safety Data Sheet
according to OSHA HCS

Printing date 07/22/2021

Reviewed on 07/22/2021

1 Identification

- **Product name**
- **Trade name:** Trimethylindium, elec. gr. (99.999%-In) PURATREM, 98-2010, contained in 50 ml electropolished Swagelok® cylinder (96-1077) for CVD/ALD
- **Item number:** 98-4056
- **CAS Number:** 3385-78-2
- **EC number:** 222-200-9
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Strem Chemicals, Inc.
7 Mulliken Way
NEWBURYPORT, MA 01950
USA
info@strem.com
- **Information department:** Technical Department
- **Emergency telephone number:**
EMERGENCY: CHEMTREC: +1 (800) 424-9300
During normal opening times: +1 (978) 499-1600

2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS02 Flame

Self-heat. 2 H252 Self-heating in large quantities; may catch fire.
Water-react. 1 H260 In contact with water releases flammable gases, which may ignite spontaneously.

- **Label elements**
- **GHS label elements**
The substance is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**



GHS02

- **Signal word** Danger
- **Hazard statements**
H252 Self-heating in large quantities; may catch fire.
H260 In contact with water releases flammable gases, which may ignite spontaneously.
- **Precautionary statements**
P231+P232 Handle under inert gas. Protect from moisture.
P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P403+P233 Store in a well-ventilated place. Keep container tightly closed.

(Contd. on page 2)

Safety Data Sheet
according to OSHA HCS

Printing date 07/22/2021

Reviewed on 07/22/2021

Trade name: Trimethylindium, elec. gr. (99.999%-In) PURATREM, 98-2010, contained in 50 ml electropolished Swagelok® cylinder (96-1077) for CVD/ALD

(Contd. of page 1)

P422 Store contents under inert gas.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- **Classification system:**
- **NFPA ratings (scale 0 - 4)**



Health = 0
Fire = 4
Reactivity = 2

The substance demonstrates unusual reactivity with water.

- **HMIS-ratings (scale 0 - 4)**



Health = 0
Fire = 4
Reactivity = 2

- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition/information on ingredients

- **Chemical characterization: Substances**
- **CAS No. Description**
3385-78-2 Trimethylindium, 98+% (99.9+%-In)
- **Identification number(s)**
- **EC number:** 222-200-9

4 First-aid measures

- **Description of first aid measures**
- **General information:** Immediately remove any clothing soiled by the product.
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Immediately rinse with water.
- **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing:** If symptoms persist consult doctor.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**
Sand. Do not use water.
CO₂, sand, extinguishing powder. Do not use water.
Use fire fighting measures that suit the environment.

(Contd. on page 3)

Safety Data Sheet
according to OSHA HCS

Printing date 07/22/2021

Reviewed on 07/22/2021

Trade name: Trimethylindium, elec. gr. (99.999%-In) PURATREM, 98-2010, contained in 50 ml electropolished Swagelok® cylinder (96-1077) for CVD/ALD

(Contd. of page 2)

- **For safety reasons unsuitable extinguishing agents:** Water
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** No special measures required.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:** No special measures required.
- **Methods and material for containment and cleaning up:**
Dispose contaminated material as waste according to item 13.
Ensure adequate ventilation.
Do not flush with water or aqueous cleansing agents
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.
- **Protective Action Criteria for Chemicals**

· **PAC-1:**

Substance is not listed.

· **PAC-2:**

Substance is not listed.

· **PAC-3:**

Substance is not listed.

7 Handling and storage

- **Handling:**
- **Precautions for safe handling**
Ensure good ventilation/exhaustion at the workplace.
Open and handle receptacle with care.
- **Information about protection against explosions and fires:**
Keep ignition sources away - Do not smoke.
Protect against electrostatic charges.
Keep respiratory protective device available.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**
Keep receptacle tightly sealed.
Store in cool, dry conditions in well sealed receptacles.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.

(Contd. on page 4)

Safety Data Sheet
according to OSHA HCS

Printing date 07/22/2021

Reviewed on 07/22/2021

Trade name: Trimethylindium, elec. gr. (99.999%-In) PURATREM, 98-2010, contained in 50 ml electropolished Swagelok® cylinder (96-1077) for CVD/ALD

(Contd. of page 3)

- **Control parameters**
- **Components with limit values that require monitoring at the workplace:** Not required.
- **Additional information:** The lists that were valid during the creation were used as basis.

- **Exposure controls**

- **Personal protective equipment:**

- **General protective and hygienic measures:**

- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing.
- Wash hands before breaks and at the end of work.
- Store protective clothing separately.

- **Breathing equipment:** A NIOSH approved respirator in accordance with 29 CFR 1910.134.

- **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

- **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- **Eye protection:** Safety glasses

9 Physical and chemical properties

- **Information on basic physical and chemical properties**

- **General Information**

- **Appearance:**

Form:	Crystalline
Color:	White
Odor:	Odorless
Odor threshold:	Not determined.

- **pH-value:** Not applicable.

- **Change in condition**

Melting point/Melting range:	88 °C (190 °F)
Boiling point/Boiling range:	136 °C (277 °F)

- **Flash point:** -18 °C (-0 °F)

- **Flammability (solid, gaseous):** Flammable.

- **Ignition temperature:**

Decomposition temperature:	Not determined.
-----------------------------------	-----------------

- **Auto igniting:** Not determined.

(Contd. on page 5)

Safety Data Sheet
according to OSHA HCS

Printing date 07/22/2021

Reviewed on 07/22/2021

Trade name: Trimethylindium, elec. gr. (99.999%-In) PURATREM, 98-2010, contained in 50 ml electropolished Swagelok® cylinder (96-1077) for CVD/ALD

(Contd. of page 4)

· Danger of explosion:	Not determined.
· Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapor pressure:	Not applicable.
· Density at 20 °C (68 °F):	1.568 g/cm ³ (13.08496 lbs/gal)
· Relative density	Not determined.
· Vapor density	Not applicable.
· Evaporation rate	Not applicable.
· Solubility in / Miscibility with Water:	Insoluble.
· Partition coefficient (n-octanol/water):	Not determined.
· Viscosity:	
Dynamic:	Not applicable.
Kinematic:	Not applicable.
· Solvent content:	
Organic solvents:	0.0 %
VOC content:	0.0 g/l / 0.00 lb/gl
Solids content:	100.0 %
· Other information	No further relevant information available.

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**
- **Primary irritant effect:**
- **on the skin:** No irritant effect.
- **on the eye:** No irritating effect.
- **Sensitization:** No sensitizing effects known.
- **Additional toxicological information:**
- **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**

Substance is not listed.

(Contd. on page 6)

Safety Data Sheet
according to OSHA HCS

Printing date 07/22/2021

Reviewed on 07/22/2021

Trade name: Trimethylindium, elec. gr. (99.999%-In) PURATREM, 98-2010, contained in 50 ml electropolished Swagelok® cylinder (96-1077) for CVD/ALD

(Contd. of page 5)

· **NTP (National Toxicology Program)**

Substance is not listed.

· **OSHA-Ca (Occupational Safety & Health Administration)**

Substance is not listed.


12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:** Not known to be hazardous to water.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

- **UN-Number**
- **DOT, IMDG, IATA** UN3393
- **UN proper shipping name**
- **DOT** Organometallic substance, solid, pyrophoric, water-reactive
- **IMDG, IATA** ORGANOMETALLIC SUBSTANCE, SOLID, PYROPHORIC, WATER- REACTIVE
- **Transport hazard class(es)**
- **DOT**
- 
- **Class** 4.2 Substances liable to spontaneous combustion

(Contd. on page 7)



Safety Data Sheet
according to OSHA HCS

Printing date 07/22/2021

Reviewed on 07/22/2021

Trade name: Trimethylindium, elec. gr. (99.999%-In) PURATREM, 98-2010, contained in 50 ml electropolished Swagelok® cylinder (96-1077) for CVD/ALD

(Contd. of page 6)

· Label	4.2, 4.3
· IMDG	
	
· Class	4.2 Substances liable to spontaneous combustion
· Label	4.2/4.3
· IATA	
	
· Class	4.2 Substances liable to spontaneous combustion
· Label	4.2 (4.3)
· Packing group	
· DOT, IMDG, IATA	I
· Environmental hazards:	
· Marine pollutant:	No
· Special precautions for user	Not applicable.
· EMS Number:	F-G,S-M
· Stowage Category	D
· Handling Code	H1 Keep as dry as reasonably practicable
· Segregation Code	SG26 In addition: from goods of classes 2.1 and 3 when stowed on deck of a containership a minimum distance of two container spaces athwartship shall be maintained, when stowed on ro-ro ships a distance of 6 m athwartship shall be maintained. SG35 Stow "separated from" acids.
· Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
· DOT	
· Quantity limitations	On passenger aircraft/rail: Forbidden On cargo aircraft only: Forbidden
· IMDG	
· Limited quantities (LQ)	0
· Excepted quantities (EQ)	Code: E0 Not permitted as Excepted Quantity
· UN "Model Regulation":	UN 3393 ORGANOMETALLIC SUBSTANCE, SOLID, PYROPHORIC, WATER-REACTIVE, 4.2 (4.3), I

US

(Contd. on page 8)

Safety Data Sheet
according to OSHA HCS

Printing date 07/22/2021

Reviewed on 07/22/2021

Trade name: Trimethylindium, elec. gr. (99.999%-In) PURATREM, 98-2010, contained in 50 ml electropolished Swagelok® cylinder (96-1077) for CVD/ALD

(Contd. of page 7)

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- Sara

· **Section 355 (extremely hazardous substances):**

Substance is not listed.

· **Section 313 (Specific toxic chemical listings):**

Substance is not listed.

· **TSCA (Toxic Substances Control Act):**

Substance is not listed.

· **Proposition 65**

· **Chemicals known to cause cancer:**

Substance is not listed.

· **Chemicals known to cause reproductive toxicity for females:**

Substance is not listed.

· **Chemicals known to cause reproductive toxicity for males:**

Substance is not listed.

· **Chemicals known to cause developmental toxicity:**

Substance is not listed.

· **Carcinogenic categories**

· **EPA (Environmental Protection Agency)**

Substance is not listed.

· **TLV (Threshold Limit Value established by ACGIH)**

Substance is not listed.

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

Substance is not listed.

· **GHS label elements**

The substance is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms**



GHS02

· **Signal word** *Danger*

· **Hazard statements**

H252 Self-heating in large quantities; may catch fire.

H260 In contact with water releases flammable gases, which may ignite spontaneously.

· **Precautionary statements**

P231+P232 Handle under inert gas. Protect from moisture.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P303+P361+P353 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

(Contd. on page 9)

Safety Data Sheet
according to OSHA HCS

Printing date 07/22/2021

Reviewed on 07/22/2021

Trade name: Trimethylindium, elec. gr. (99.999%-In) PURATREM, 98-2010, contained in 50 ml electropolished Swagelok® cylinder (96-1077) for CVD/ALD

(Contd. of page 8)

P422 Store contents under inert gas.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Department issuing SDS:** Technical Department.

· **Contact:** Technical Director

· **Date of preparation / last revision** 07/22/2021 / -

· **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Self-heat. 2: Self-heating substances and mixtures – Category 2

Water-react. 1: Substances and mixtures which in contact with water emit flammable gases – Category 1